

BULLED 50W floodlight 4000lm, IP65, 4000K, aluminium + glass

Adviti

Marka: **ADVITI** | Symbol: **AD-NL-6138BL4** | Ean: **5908254817342**



PRODUCT DESCRIPTION

BULLED floodlight is suitable for use both - at home and in industrial areas (e.g. garages, halls). Its light source in form of SMD LEDs, emits light in a natural white color suitable for lighting rooms with a lot of glazing and steel. Neutral light is also used to illuminate facades or gardens, so BULLED floodlight will be perfect to provide light to outdoor spaces like: car parks, entrances to property, building walls, or to illuminate advertisements, etc. High ingress protection rating IP65 ensures its resistance to dust, dirt and water, and the use of aluminum and glass for the production guarantees resistance to all harsh weather conditions. The

product comes with a connection block, instead of a power cord, which ensures a neat and hermetic connection with the power supply.

TECHNICAL DATA

General information:

Luminous flux:	4000 lm
Rated power:	50 W
Light source:	LED SMD
Degree of protection (IP):	65
Colour temperature:	4000
Nominal voltage:	230V~, 50Hz
Colour:	black
Solar panel:	No
Dimensions - depth:	129 mm
Dimensions - width:	190 mm
Dimensions - height:	46 mm
Other features:	connection block instead of power wire
Colour rendering index CRI:	>80
Control of the motion sensor:	No



