ARTUS LED under-cabinet lamp set, 3x3W, 3x225lm, 4000K, with touch switch and USB, grey

Marka: **ADVITI** | Symbol: **AD-OM-6475L4/G** | Ean: **5908254841323**

PRODUCT DESCRIPTION

Set of 3 ARTUS LED under-cabinet lamps in grey, 3W with a luminous flux of 225lm each. They emit light with a pleasant neutral colour of 4000K. One of the three lamps has a touch-sensitive switch, which controls the operation of the entire set and adjusts the brightness of the light by holding the switch with your hand. In addition, the light has a built-in USB C port (5V 2.4A), which makes it easy to charge other electrical devices such as a phone or tablet.

ORNO GROUP Sp. z o. o. All rights reserved.

The modern design with a luminous surface in the form of a frame is ideal for both residential premises to illuminate kitchen worktops or shadowy corners of dressing rooms and in commercial interiors to illuminate workspaces. This type of lighting is designed to be mounted to the bottom surface of a shelf or cabinet.

Power supply unit included. Lights also available in black.

Single lamps are also available to expand the set.

TECHNICAL DATA

General information:

Nominal voltage [V]:	230/12
Lamp type:	LED, niewymienne
Suitable for lamp power [W]:	3x3
Rated luminous flux according to IEC 62722-2-1 [lm]:	3x225
Suitable for number of lamps:	3
With light source:	tak
Colour temperature [K]:	4000
Beam angle:	Wiązka bardzo szeroka > 80°
Rated life time L70/B50 at 25 °C [h]:	20000
Colour rendering index CRI:	80-89
Energy efficiency class of the built-in lamp:	G
Colour of light:	Neutralny biały
Flickering value Pst LM:	<1
Stroboscope effect value SVM:	<0,4
Degree of protection (IP):	IP20
Impact strength:	IK08
Protection class:	II
Suitable for surface mounting:	tak
Material housing:	Tworzywo sztuczne
Colour housing:	Szary

ORNO GROUP Sp. z o. o. All rights reserved.

Material cover:	Tworzywo sztuczne matowe/satynowe
Width [mm]:	65
Height/depth [mm]:	42
Length [mm]:	160
Voltage type:	AC/DC
Exchangeable control gear:	nie
Max. system power:	21
Type of wiring:	Końcowe
Connection type:	Wtyczka
Other features:	Port USB C 5V 2,4A; funkcja ściemniania

ORNO GROUP Sp. z o. o. All rights reserved.



ORNO GROUP Sp. z o. o. All rights reserved.



ORNO GROUP Sp. z o. o. All rights reserved.