







PLANA LED under-cabinet lamp set, 3x4W, 3x240lm, 4000K, with touchless switch, black

Marka: **ADVITI** | Symbol: **AD-OM-6477L4/B** | Ean: **5908254841392**

Adviti



PRODUCT DESCRIPTION

A set of 3 PLANA LED under-cabinet luminaires in black with 4W and a luminous flux of 240lm each. One of the three luminaires has two functions that control the entire set: a touchless switch, which allows the lighting to be activated without having to turn on each lamp individually, and a function to dim/brighten the light as required by holding your hand under the sensor.

The set has been designed in a universal style. The flat housing of each lamp does not stand out significantly









from the furniture under which it is installed, which gives the effect of a tastefully furnished interior. The simplicity of the design of this model will enrich any decor of both residential and commercial space. This type of lighting is designed to be mounted to the bottom surface of a shelf or cabinet.

The set emits light with a pleasant and neutral colour of 4000K.

The set can be extended with additional lights from the same PLANA series.

The power supply unit is included in the set. Luminaires also available in grey.

TECHNICAL DATA

General information:

Nominal voltage [V]:	230/12
Lamp type:	LED, niewymienne
Suitable for lamp power [W]:	3x4
Rated luminous flux according to IEC 62722-2-1 [lm]:	3x240
Luminaire efficacy [lm/W]:	60
Suitable for number of lamps:	3
With light source:	tak
Colour temperature [K]:	4000
Beam angle:	Wiązka bardzo szeroka > 80°
Rated life time L70/B50 at 25 °C [h]:	20000
Colour rendering index CRI:	80-89
Energy efficiency class of the built-in lamp:	G
Colour of light:	Neutralny biały
Flickering value Pst LM:	<1
Stroboscope effect value SVM:	<0,4
Degree of protection (IP):	IP20
Impact strength:	IKO8
Protection class:	II
Suitable for surface mounting:	tak

Page 2 / 4









Material housing:	Tworzywo sztuczne
Colour housing:	Czarny
Material cover:	Tworzywo sztuczne matowe/satynowe
With movement sensor:	tak
Sensor type:	IR
Detection range:	3cm
Width [mm]:	50
Height/depth [mm]:	6.8
Length [mm]:	168
Voltage type:	AC/DC
Exchangeable control gear:	tak
Max. system power:	12
Type of wiring:	Końcowe
Connection type:	Wtyczka
Other features:	Funkcja ściemniania















