

AGRA LED under-cabinet lamp 2.5W, 80lm, 4000K, black

Marka: **ADVITI** | Symbol: **AD-OM-6564L4/B** | Ean: **5908254845765**

Adviti



PRODUCT DESCRIPTION

The AGRA LED under-cabinet lamp is an excellent and functional lighting solution that works well in various spaces, such as kitchens, walk-in wardrobes, offices or rooms. Thanks to its compact dimensions (61x37x120 mm) the lamp is perfect for small spaces, where subtle but effective lighting is required.

The lamp emits light in a pleasant neutral white colour of 4000K. The luminous flux of 80lm provides adequate lighting of kitchen worktops, cupboard or cabinet interiors, which makes it much easier to perform daily

activities.

The AGRA LED uses a 2.5W energy-efficient LED light source, which has a long life and low energy consumption. A wide beam angle guarantees even light dispersion over the entire illuminated surface, providing optimal conditions for work or illuminating the wardrobe space. The lamp is intended for use in dry rooms (IP20).

The product features an elegant oval shape that fits into modern interiors. AGRA is available in two colour variants (grey and black), allowing the lamp to match different furniture styles and colours.

The lamp's housing is made of high-quality plastic. The lampshade, also made of plastic, has matt, satin surface that provides pleasant, diffused light.

The installation of AGRA LED is simple and intuitive, thanks to surface mounting and the use of self-clamping connectors.

The 12 V DC power supply is safe for the user and the pass-through wiring allows several lamps to be easily connected into one set (4 socket connector, AD-OM-6601CN, also available in our offer).

Black colour.

AGRA LED is also available in a version with a touchless switch function and in an extended version with a touchless switch and a USB charging function.

TECHNICAL DATA

General information:

Nominal voltage [V]:	12
Lamp type:	LED, niewymienne
Suitable for lamp power [W]:	2.5
Rated luminous flux according to IEC 62722-2-1 [lm]:	80
With light source:	tak
Colour temperature [K]:	4000
Beam angle:	Wiązka bardzo szeroka > 80°
Rated life time L70/B50 at 25 °C [h]:	54000
Colour rendering index CRI:	90-100

Energy efficiency class of the built-in lamp:	G
Colour of light:	Neutralny biały
Degree of protection (IP):	IP20
Impact strength:	IK01
Protection class:	III
Suitable for surface mounting:	tak
Material housing:	Tworzywo sztuczne
Colour housing:	Czarny
Material cover:	Tworzywo sztuczne matowe/satynowe
Width [mm]:	61
Height/depth [mm]:	37
Length [mm]:	120
Voltage type:	DC
Exchangeable control gear:	nie
Type of wiring:	Z okablowaniem przelotowym
Connection type:	Wtykowe samozaciskowe