

TUNIS under-cabinet lamp 3.5W, 170lm, 4000K, with touch dimmer, grey

Marka: **ADVITI** | Symbol: **AD-OM-6565L4/G/SW** | Ean: **5908254845352**

Adviti



PRODUCT DESCRIPTION

TUNIS is a classic under-cabinet lamp designed as a furniture lighting, perfect for installation in kitchens, dressing rooms, offices and other rooms where an additional light source is needed. Thanks to its universal design, the lamp fits perfectly into various interior styles, providing subtle yet effective lighting.

The TUNIS lamp has an energy-saving 3.5W LED light source that generates a luminous flux of 170lm. The emitted light has a neutral colour of 4000K, so it is perfect for illuminating working surfaces, such as kitchen

worktops or desks. Thanks to its wide beam angle, the lamp effectively illuminates a large area for comfortable working conditions.

The TUNIS under-cabinet lamp has a touch switch with a dimmer, which is functional, and increases the convenience of use. The touch switch not only activates the light but also enables smooth adjustment of light intensity, so one may adjust the brightness to one's individual needs.

TUNIS is designed for surface mounting. The lamp operates at a rated voltage of 12V DC, thus ensuring its safe use. The pass-through wiring and self-clamping connectors make installation simple and intuitive.

The TUNIS under-cabinet lamp is made of plastic. Its grey housing perfectly blends in every modern and minimalistic interior. The lampshade made of matt plastic provides even light dispersion and a pleasant atmosphere in the illuminated area.

The TUNIS lamp is intended for use in rooms where there is no excessive moisture (IP20). Its compact dimensions (55x60,5x160 mm) allow for placing it in almost any cupboard, wardrobe or over a countertop, without taking up much space.

The lamp is also available in a basic version without a switch.

TECHNICAL DATA

General information:

Nominal voltage [V]:	12
Lamp type:	LED, niewymienne
Suitable for lamp power [W]:	3.5
Rated luminous flux according to IEC 62722-2-1 [lm]:	170
With light source:	tak
Colour temperature [K]:	4000
Beam angle:	Wiązka bardzo szeroka > 80°
Rated life time L70/B50 at 25 °C [h]:	54000
Colour rendering index CRI:	80-89
Energy efficiency class of the built-in lamp:	F
Colour of light:	Neutralny biały
Degree of protection (IP):	IP20

Impact strength:	IK01
Protection class:	III
Suitable for surface mounting:	tak
Material housing:	Tworzywo sztuczne
Colour housing:	Szary
Material cover:	Tworzywo sztuczne matowe/satynowe
Width [mm]:	55
Height/depth [mm]:	60.5
Length [mm]:	160
Voltage type:	DC
Exchangeable control gear:	nie
Type of wiring:	Z okablowaniem przelotowym
Connection type:	Wtykowe samozaciskowe
Other features:	Funkcja ściemniania