







SPINEL LED 10W, garden luminaire with motion sensor 140st, 800lm, IP54, 4000K, IK10, white

Marka: ADVITI | Symbol: AD-OP-6119WLPMR4 | Ean: 5908254817557

Adviti



PRODUCT DESCRIPTION

A garden luminaire with a modern, interesting shape and a neatly built-in motion sensor, which perfectly illuminates the interior of rooms, staircases, as well as the entrance to the building, driveway, terrace or garden arbors. This outdoor lamp can be mounted on the walls of buildings and even fences. Several identical luminaires mounted at a certain distance from one another will create an interesting and coherent visual effect, and the entrance to the house or office building will be beautifully presented. The luminaire uses SMD LED diodes, which guarantee high energy efficiency and have a long service life. The presented garden lamp







works with rated power of 10W and emits light with luminous flux of 800 lm. It shines with a natural white color, with a temperature of 4000K. The device has a built-in PIR sensor that turns on the light when the movement is detected and allows to set the lighting time according to your preferences (from 10 +/- seconds to 5 +/- minutes). The sensor detects movement both during the day and at night. The maximum detection range is 9 meters. The twilight sensor, depending on the settings, turns the lighting on only when the ambient light intensity is insufficient. The degree of ingress protection IP54 guarantees sufficient protection against dust and water, so this garden luminaire will easily withstand even more difficult weather conditions. The lamp is available in white. Material: unbreakable polycarbonate (PC).

TECHNICAL DATA

General information:

Luminous flux:	800 lm
Rated power:	10 W
Light source:	LED SMD
Degree of protection (IP):	54
Colour temperature:	4000
Nominal voltage:	230V~, 50Hz
Colour:	white
Solar panel:	No
Dimensions - depth:	90 mm
Dimensions - width:	289 mm
Dimensions - height:	147 mm
Colour rendering index CRI:	>85
Detection angle:	140°
Material of the lampshade:	polycarbonate
Control of the motion sensor:	Yes
Type of sensor:	PIR
Detection range:	9 m
Adjustable daylight sensor (LUX):	Yes
Daylight sensor adjustment range (LUX):	<3-2000lux







Adjustable time setting (TIME):	Yes
Lighting time adjustment range (TIME):	min: 10 sek. ± 3 sek.; max: 5 min. ± 1 min.
Adjustment of motion detection range (SENS):	No





















