







## EDERA bollard garden luminaire, E27, max. 15W, IP44, 65 cm, stainless steel

Marka: ADVITI | Symbol: AD-OP-6571GE27PM | Ean: 5908254845444

**Adviti** 



## PRODUCT DESCRIPTION

The EDERA garden luminaire, which belongs to the outdoor lamp series containing two wall lamps and the presented bollard lamp, gives possibility of creating a coherent garden illumination. The series was designed with aesthetics, durability and functionality in mind. Thanks to this, it perfectly works as both decorative and functional element.

EDERA is made of stainless steel, which ensures durability for years. The IP44 rate protects the luminaire from









dust and water, thus, the lamps may be installed outdoors regardless of harsh weather conditions. Additionally, high impact protection rate IK08 protects the lamp against external factors.

Each EDERA lamp is suitable for replaceable light source, with E27 threat and max. power of 15W. Consequently, users may adjust the lighting to their own preferences choosing an appropriate colour of the light. The supply voltage is 230V AC.

The classical design of each lamp perfectly composes with both modern and more traditional arrangements. The lampshade material, made of iridescent plastic, evenly disperses the light. The minimal distance from the illuminated building is 0,5m.

The bollard may illuminate a driveway or a garden.

The diameter is 76mm, height 650 mm.

## TECHNICAL DATA

## General information:

| Nominal voltage [V]:                                  | 230                           |
|---|-------------------------------|
| Lamp type:  | Żarówka                       |
| Suitable for lamp power [W]:                          | 15                            |
| Lamp holder:  | E27                           |
| With light source:                                    | nie                           |
| Suitable for number of lamps:                         | 1                             |
| Degree of protection (IP):                            | IP44                          |
| Impact strength:                                      | IK08                          |
| Protection class:                                     | 1                             |
| Type of luminaire:                                    | Oprawa elewacyjna             |
| Material housing:                                     | Stal szlachetna               |
| Colour housing:                                       | Stal szlachetna               |
| Material cover:                                       | Tworzywo sztuczne opalizowane |
| The minimum distance from the illuminated object [m]: | 0.5                           |
| Height/depth [mm]:                                    | 650                           |











| Diameter [mm]: | 76 |
|----------------|----|
| Voltage type:  | AC |

















