

SALVIA garden luminaire with motion sensor, E27, max. 15W, IP54, grey

Adviti

Marka: **ADVITI** | Symbol: **AD-OP-6573GE27PPR** | Ean: **5908254845482**



PRODUCT DESCRIPTION

The SALVIA lighting series is the perfect solution for those wishing to create consistent and functional outdoor lighting for their property. The series includes façade luminaires and garden bollards, which blend in perfectly with the surroundings of the building, terrace or balcony. The option of choosing a fixture with a motion sensor further enhances the sense of security for homeowners.

The design of each SALVIA luminaire is distinguished by a dark grey aluminium housing and a smoked

transparent plastic shade, adding a modern character and subtle elegance to the environment.

The luminaires are resistant to various atmospheric conditions such as rain or dust (IP54 protection level), guaranteeing reliability and durability for many years.

Prezentowana oprawa oświetleniowa SALVIA to kinkiet elewacyjny, przystosowany do jednego źródła światła z gwintem E27 i max. mocy 15W. Możliwość wymiany żarówki pozwala użytkownikowi na wybór preferowanej barwy światła (brak żarówki w zestawie).

The model is equipped with a motion sensor. The luminaire reacts automatically when motion is detected in its surroundings and is activated only when it is necessary. The motion sensor has a detection range from 4 to 12 metres. Adjustment of the detection range, light duration and light adjustment allow the luminaire's operation to be adapted to specific environmental conditions and user preferences, and this contributes to electricity savings and extends the life of the light sources.

The dimensions are 90x180x110 mm. The luminaire is also available without a movement sensor.

TECHNICAL DATA

General information:

Nominal voltage [V]:	230
Lamp type:	Żarówka
Suitable for lamp power [W]:	15
Lamp holder:	E27
With light source:	nie
Suitable for number of lamps:	1
Degree of protection (IP):	IP54
Protection class:	I
Type of luminaire:	Oprawa elewacyjna
Material housing:	Aluminium
Colour housing:	Szary
Material cover:	Tworzywo sztuczne przezroczyste
With light sensor:	tak
With movement sensor:	tak

Detection range [m]:	4-12
Adjustable daylight sensor :	tak
LUX light adjustment range:	<3-2000 lux
Adjustable time setting :	tak
TIME adjustment range:	10s±5s - 5min±1min
Adjustable detection range:	tak
Width [mm]:	90
Height/depth [mm]:	180
Length [mm]:	110
Voltage type:	AC