

LAPIS LED lighting fixture with microwave sensor 12W, 800lm, IP65, 4000K, IK10, milky PC, white



Marka: ADVITI | Symbol: AD-PL-6118WLPMM4 | Ean: 5908254818844



PRODUCT DESCRIPTION

This lamp fixture is used to automatically provide lighting to stairways, halls, cellars, garages, storage areas, utility rooms. Suitable for outdoor use. It is equipped with a built-in microwave sensor which, depending on its settings, can detect even the slightest motion. Thanks to its three potentiometers, the device can be adjusted to suit particular lighting needs - it will switch on the light only when people's motion occurs in the detection area. Modern LED diodes guarantee high energy efficiency and long service lifetime. Users can adjust: lighting time, light intensity and detection range. The lamp fixture and shade are made of shatterproof, opal



polycarbonate (PC).

TECHNICAL DATA

General information:

| Luminous flux: | 800 lm |
|--|--|
| Rated power: | 12 W |
| Light source: | LED SMD |
| Degree of protection (IP): | 65 |
| Colour temperature: | 4000 |
| Nominal voltage: | 230V~, 50Hz |
| Colour: | white |
| Dimensions - depth: | 68.5 mm |
| Dimensions - width: | 270 mm |
| Dimensions - height: | 270 mm |
| Colour rendering index CRI: | >85 |
| Detection angle: | 360°/180° |
| Material of the lampshade: | polycarbonate |
| Control of the motion sensor: | Yes |
| Type of sensor: | microwave |
| Detection range: | 5-15m m |
| Adjustable daylight sensor (LUX): | Yes |
| Daylight sensor adjustment range (LUX): | <3–2000lux |
| Adjustable time setting (TIME): | Yes |
| Lighting time adjustment range (TIME): | min: 10 sek. ± 3 sek.; max: 12 min. ± 1 min. |
| Adjustment of motion detection range (SENS): | Yes |









