

## SOPOT LED 18W, ceiling light with microwave motion sensor, 1880lm, IP20, 4000K, PVC lampshade

**Adviti**

Marka: **ADVITI** | Symbol: **AD-PL-6460WLZMM4** | Ean: **5908254840418**



### PRODUCT DESCRIPTION

SOPOT LED 18W is a wall and ceiling light, which is characterised not only by its high functionality or resistance, but also by its aesthetic appearance. The built-in microwave motion sensor allows the light to be automatically switched on and off, which significantly increases the efficiency of electricity consumption and gives the opportunity to save on electricity bills.

Matching, unpretentious and elegant lighting can easily be assembled in this category - for indoors as well as

outdoors, in the home, business or flat. Functional and coherent arrangements can be created by selecting lamps from several available series, each with specific strengths and characteristics.

The device has 18W LEDs that generate a bright and even light output of 1880 lm. This brightness is optimal both for use in domestic interiors and in various public spaces such as offices, hotels, schools or shops. The color temperature of the light is 4000K, which means a neutral white light color.

Sopot is also a versatile lamp for a variety of tasks - it will work well in the corridor, the stairwell or the pantry, and can be mounted both on the wall and on the ceiling of the room. The IP20 protection level will be quite sufficient in such rooms.

The round, white lampshade made of milky PVC will aesthetically blend in with both avant-garde interior design and simple minimalist furnishings such as an office common area. This form of lighting will prove its worth wherever versatility and functionality are important.

The product is available in three power options: 12W, 18W, 24W and in a version without motion sensor.

## TECHNICAL DATA

### General information:

Nominal voltage [V]:	230 V
Lamp type:	LED, wymienne
Suitable for lamp power [W]:	18 W
Rated luminous flux according to IEC 62722-2-1 [lm]:	1880lm
Luminaire efficacy [lm/W]:	104lm/W
With light source:	tak
Colour temperature [K]:	4000K
Beam angle:	120
Rated life time L70/B50 at 25 °C [h]:	30000
Colour rendering index CRI:	80
:	18 W
:	Nie
Energy efficiency class of the built-in lamp:	F
Colour of light:	Neutralny biały

Power factor:	0.7
Flickering value Pst LM:	0.5
Stroboscope effect value SVM:	0.4
Degree of protection (IP):	20
Impact strength:	IK05
Protection class:	I
Suitable for wall mounting:	tak
Suitable for suspended mounting:	nie
Suitable for ceiling mounting:	tak
Suitable for built-in mounting:	nie
Suitable for surface mounting:	tak
Suitable for light line configuration:	nie
Material housing:	metal
Material cover:	PVC
With movement sensor:	tak
Sensor type:	microwave
Detection range:	3-7m
Adjustable daylight sensor :	15Lux
Adjustable time setting :	40s
Width [mm]:	350
Height/depth [mm]:	62
Length [mm]:	350
Voltage type:	AC
Exchangeable control gear:	tak

