

ASTERIA ceiling light with PIR motion sensor, 2xE27, max. 2x60W, IP44, white

ViRONEMarka: **Virone** | Symbol: **CL/2XE27R-9** | Ean: **5908254841415**

PRODUCT DESCRIPTION

ASTERIA white ceiling light with PIR motion sensor and IP44 ingress protection for outdoor and indoor installation in rooms of increased humidity.

The lamp is suitable for two replaceable light sources that is E27 bulbs with maximum power of 60W. Bulbs are not included, thus it is possible to customize parameters of emitted light to individual needs.

The lamp is also equipped with PIR motion sensor which switches on and off the light after motion has been detected, regulates the lighting time and light intensity. The detection range is 4-10 m.

Combining several Asteria ceiling lamps will for sure transform arrangement of interiors such as conference rooms. Classic, round shape will work both in flats and commercial space.

The product also features increased impact protection rate – IK07.

The housing material is metal and polymer and the lampshade is made of matte/satin polymer.

The diameter of the lamp is 33 cm.

TECHNICAL DATA

General information:

| | |
|--------------------------------|-----------------------------------|
| Nominal voltage: | 230 |
| Lamp type: | Żarówka |
| Suitable for lamp power: | 2x60 |
| Lamp holder: | E27 |
| Suitable for number of lamps: | 2 |
| With light source: | nie |
| Max. power: | 2x60 |
| Degree of protection (IP): | IP44 |
| Impact strength: | IK07 |
| Protection class: | I |
| Suitable for wall mounting: | tak |
| Suitable for ceiling mounting: | tak |
| Suitable for surface mounting: | tak |
| Material housing: | Metal/Tworzywo sztuczne |
| Colour housing: | Biały |
| Material cover: | Tworzywo sztuczne matowe/satynowe |
| With movement sensor: | tak |

| | |
|------------------------------|--------------|
| With light sensor: | tak |
| Sensor type: | PIR |
| Detection range: | 1-6m |
| Adjustable daylight sensor : | <15-2000Lux |
| Adjustable time setting : | 2 s - 20 min |
| Adjustable detection range: | 1-6m |
| Height/depth: | 85 |
| Outer diameter: | 330 |