

ENGA AC, wireless mains-powered doorbell, learning system, 38 sounds, 200m, black

Marka: **Virone** | Symbol: **DB-11/B** | Ean: **5908254850004**




PRODUCT DESCRIPTION

The wireless doorbell ENGA AC is a functional and convenient solution that does not require a complicated installation. The transmitter may be placed at the door or a wicket, and the receiver simply needs to be plugged into anywhere in the house ensuring freedom of use. The range in the open field reaching up to 200m facilitates installation of the transmitter at a great distance from the building.

The 230 V receiver is simply plugged into a power socket, eliminating the frequent need to replace traditional

batteries. The transmitter uses the supplied CR2032 battery. The unit operates on a frequency of 433.92 MHz. The transmitter's IP44 rating guarantees resistance to dust and moisture, ensuring reliable operation in a variety of weather conditions. Additional backlit increases visibility and comfort of use.

A wide selection of 38 sounds allows to adjust the signal to one's own preferences or circumstances. The 4-stage volume control in the range within 0-90 dB also includes a total mute mode. In addition, two signalling modes are available – visual-acoustic and visual – which allow the notification method to be adapted to the time of day or individual needs, e.g. by turning off the sound and using only visual one.

Thanks to the learning system, it is possible to add further transmitters and connect them to a single ENGA receiver. The bell is made of high-quality plastic in black. Dimensions of the receiver measure 73x73x69 mm. Dimensions of transmitter measure 30x60x15 mm.

TECHNICAL DATA

General information:

Wireless:	tak
Max. transmission range [m]:	200
Frequency [MHz]:	433,92 MHz
Possibility of extension by an additional transmitters:	tak
Other features:	learning system

Receiver:

Type of current (receiver):	AC
Nominal voltage [V]:	230
Electricity consumption:	1,5W
Number of ringtones:	38
Loudness [dB]:	90
Volume adjustment:	tak
Volume adjustment range [dB]:	0-90
Optical indication:	tak
Mounting method:	Montaż natynkowy
Degree of protection (IP):	IP20

Housing material (receiver):	Tworzywo sztuczne
Colour housing:	Czarny
Width (receiver) [mm]:	73
Height (receiver) [mm]:	73
Depth (receiver) [mm]:	69

Transmitter:

Type of current (transmitter):	DC
Nominal voltage (transmitter) [V]:	3
Battery - type and quantity (transmitter):	CR2032
Built-in battery (transmitter):	tak
Transmitter max. power [mW]:	10
Degree of protection (IP) (transmitter):	IP44
With lighting:	tak
With name plate:	nie
Housing material (transmitter):	Tworzywo sztuczne
Colour (transmitter):	Czarny
Width (transmitter) [mm]:	30
Height (transmitter) [mm]:	60
Depth (transmitter) [mm]:	15