

Battery powered carbon monoxide detector with TEST button, service life 10 years, EN 50291-1:2018 compliance

ViRONE

Marka: **Virone** | Symbol: **DC-3** | Ean: **5908254824371**



PRODUCT DESCRIPTION

TECHNICAL DATA

General information:

Standalone:	Tak
Current supply primary:	Bateria/akumulator
Supply voltage [V]:	3.0V
Voltage type of supply voltage:	DC
Sensor lifetime:	10 lat
With voltage indication:	Tak
With backup battery:	Tak
Backup battery included:	Tak
With rechargeable backup battery:	nie
Loudness [dB(A)]:	85
Mounting method:	Montaż powierzchniowy
With socket:	Nie
Place variable:	Tak
Length [mm]:	107
Width [mm]:	77
Height [mm]:	36
Colour:	Biały
Type of test- /pause button:	TEST
Degree of protection (IP):	IP20
With memory function:	Tak
With digital display:	Tak
Sensor type:	Elektrochemiczny
Interchangeable sensor:	Nie
Compliance with standards:	EN 50291-1:2018
Operating principle:	Optyczny
Supply voltage:	9
Voltage type of supply voltage:	DC
With backup battery:	tak

Backup battery included:	Inne
STAND-BY current:	<12uA
ALARM current:	<20mA
Loudness dB(A):	85
Mounting method:	Montaż powierzchniowy
Self-adhesive:	nie
Height [mm]:	36
Diameter [mm]:	102
Colour:	Biały
Smoke switcher:	tak
Type of test-/pause button:	TEST/HUSH
Degree of protection (IP):	IP20
Standalone:	tak
Current supply primary:	Bateria/akumulator
Compliance with standards::	EN 14604:2005/AC1:2008





