

Single-family doorphone set, flush-mounted, with proximity tags reader, MALO

Marka: **Virone** | Symbol: **DP-14** | Ean: **5908254804120**

ViRONE



PRODUCT DESCRIPTION

Single-family doorphone set suitable for flush-mounting. Its aluminum external panel has got a nameplate. The lock is released with the use of proximity tags. The handset has got an integrated power supply unit and power cable. Electric strike does not require any additional power supply.

TECHNICAL DATA

General information:

Type:	jednorodzinny
Current supply:	Zasilanie sieciowe
Nominal voltage [V]:	12V DC
Type of transmission:	przewodowy
Installation technique:	System wieloprzewodowy
Number of wires (*from outdoor station to electric strike):	4 (+2)*
Number of indoor stations:	1
Number of outdoor stations:	1
Expandable to max. number of indoor stations:	1
Expandable to max. number of outdoor stations:	1
Operation door lock:	tak
Current supply of the electric strike:	dodatkowy zasilacz niewymagany
:	z panelem zewnętrznym
With automatic door opener:	nie

Indoor panel:

Mounting method indoor station:	Montaż natynkowy
Hands free:	nie
Internal communication:	nie
Number of ringtones:	1
Loudness control:	nie
Mutable call tone:	nie
Material indoor station:	Tworzywo sztuczne
Colour indoor station:	Biały
Width [mm]:	100

Height [mm]:	217
Depth [mm]:	45

External panel:

Number of call buttons:	1
Mounting method outdoor station:	Montaż podtynkowy
With digital door code:	nie
Card and proximity tags reader:	tak
Frequency of RFID tags:	125kHz
Label space/information surface:	tak
With cover:	nie
Degree of protection (IP):	IP44
Material outdoor station:	Aluminium
Colour outdoor station:	Srebrny
Width [mm]:	110
Height [mm]:	140
Depth [mm]:	35
Other features:	RFID - max. 100 użytkowników (breloki w zestawie: 2 użytkownika + 2 administracyjne)





