

## Single-family doorphone, surface-mounted, CARLO

Marka: **Virone** | Symbol: **DP-16** | Ean: **5908254818974**




### PRODUCT DESCRIPTION

Classic 2-wire CARLO single-family doorphone, it can be connected to a standard bell installation. Surface mounting, protective rain cover included, illuminated place for name, possibility of creating a more complex system by connecting additional elements. Additionally, the product may be responsible for the gate control. The set has a two-stage bell volume control, and the intercom function (communication between two uniphones within one subscriber) is possible after using an additional uniphone. Electric strike (recommended with memory function) does not require additional power supply.

## TECHNICAL DATA

### General information:

Type:	jednorodzinny
Current supply:	Zasilanie sieciowe
Nominal voltage [V]:	230V AC
Type of transmission:	przewodowy
Installation technique:	Dwużyłowe
Number of wires (*from outdoor station to electric strike):	2 (+2)*
Number of indoor stations:	1
Number of outdoor stations:	1
Expandable to max. number of indoor stations:	1
Expandable to max. number of outdoor stations:	1
Operation door lock:	tak
Current supply of the electric strike:	dodatkowy zasilacz niewymagany
:	z panelem zewnętrznym
With automatic door opener:	nie

### Indoor panel:

Mounting method indoor station:	Montaż natynkowy
Hands free:	nie
Internal communication:	nie
Number of ringtones:	1
Loudness control:	tak
Mutable call tone:	nie
Material indoor station:	Tworzywo sztuczne
Colour indoor station:	Biały
Width [mm]:	98

Height [mm]:	215
Depth [mm]:	68
Other features:	Akumulator wbudowany w słuchawkę, kabel z wtyczką

### External panel:

Number of call buttons:	1
Mounting method outdoor station:	Montaż natynkowy
With digital door code:	nie
Card and proximity tags reader:	nie
Label space/information surface:	tak
With cover:	tak
Degree of protection (IP):	IP44
Material outdoor station:	Aluminium
Colour outdoor station:	Srebrny
Width [mm]:	107
Height [mm]:	217
Depth [mm]:	65







