

Three-phase energy meter, 80A, 4,3 modules, DIN TH-35mm

Marka: Virone | Symbol: EM-3 | Ean: 5908254813207





(T)

PRODUCT DESCRIPTION

This single-phase energy meter gives indications in metric units (kWh) and is used for measuring active power in a three-phase system. A special electronic system is influenced by the flowing current and the applied voltage, and thus generates impulses the number of which is in proportion to the electricity consumed. Phase energy consumption is indicated by blinking LED. Next the number of impulses is converted into the energy consume, and its value is indicated on the LCD display (6+2). Power supply: 230V~, 50Hz, base current: 5A, max. current: 80A, min. current: 0,25A, impulse frequency: 800 imp/kWh, accuracy class B, the housing has got



the size of 3 modules, suitable for DIN TH-35mm rail installation, impulse output: power supply 12~27V, current ≤27mA, impulse = 80ms.

en e

TECHNICAL DATA

General information:

Backlight:	No
Туре:	3-phase
Base current (Ib):	5 A
Maximum current (Imax):	80 A
Degree of protection (IP):	51
Min. current:	0.25 A
Pulse frequency:	800 imp/kWh
Class of measurement accuracy:	1
Pulse output:	Yes
Multi-tariff:	No
Dimensions - depth:	116.5 mm
Number of modules:	4.3
Dimensions - width:	76 mm
Dimensions - height:	65 mm
Compliance with mid certificate (2014/32/eu):	No
Communication protocol:	none
Display:	6+2 "
Ports:	none















