

NIVALIS LED floodlight with PIR motion sensor 50 W, 4000 lm, IP44, 4000 K

Marka: **Virone** | Symbol: **FL/R-17** | Ean: **5908254853463**

ViRONE



PRODUCT DESCRIPTION

TECHNICAL DATA

General information:

Nominal voltage [V]:	230
Lamp type:	LED, niewymienne
Suitable for lamp power [W]:	50
Luminous flux [lm]:	4000
With light source:	tak
Colour temperature [K]:	4000
Beam angle:	Wiązka bardzo szeroka > 80°
Rated life time L70/B50 at 25 °C [h]:	35000
Colour rendering index CRI:	80-89
Energy efficiency class of the built-in lamp:	E
Colour of light:	Biały
Degree of protection (IP):	IP44
Impact strength:	IK04
Protection class:	I
Suitable for surface mounting:	tak
Tripod mounting:	tak
Material housing:	Aluminium
Material cover:	Szkło strukturalne
Colour housing:	Czarny
With movement sensor:	tak
Sensor type:	PIR
Detection range:	6-8 m
Adjustable daylight sensor :	tak
LUX light adjustment range:	3-2000 lx
Adjustable time setting :	tak
TIME adjustment range:	3 s - 10 min
Adjustable detection range:	tak
The minimum distance from the illuminated object [m]:	1

Width [mm]:	168.7
Height/depth [mm]:	23.6
Length [mm]:	190.6
Voltage type:	AC
Exchangeable control gear:	nie
Other features:	Kabel 3 x 1 mm \square 15 cm