







LED Headlamp, 120lm, 500 mAh, movable head

Marka: Virone | Symbol: LT-16 | Ean: 5908254843280





PRODUCT DESCRIPTION

LED headlamp is an ideal solution to illuminate way in the dark, surroundings while performing activities outside, or brighten up area when free hands are needed.

Designed for active users. The device is light and comfortable to wear. It is compact and does not require much space in backpack during a trip.









IPX4 level secures the device from splashing water, e. g. during a drizzle. The headlamp works well while cycling, camping as well as during work in a workshop or during minor car repair.

A great benefit is built-in 500mAh battery. Simply charge the device via included USB cable. In this way, you do not have to remember to carry additional batteries. Maximum operating time is up to 7 h.

The headlamp is equipped with a LED diode with luminous flux of 120lm and cool light of 8000K. It has 4 light modes (high, medium, low and SOS) and a head movable within 45° to adjust the beam angle to user's preferences. The illumination range reaches up to 50 m.

The device may also be switched to motion sensor mode. This function is useful when you need free hands, or when you wear gloves. Sensor's range is about 15 cm.

The LED headlamp is made of black plastic.

TECHNICAL DATA

General information:

| Lamp type: | LED, niewymienne |
|-------------------------------|-----------------------------------|
| Power [W]: | 3 |
| Luminous flux [lm]: | 120 |
| Power type: | Akumulator |
| Battery capacity [mAh]: | 500 |
| Battery type: | Akumulator zainstalowany na stałe |
| With batteries: | tak |
| Number of light modes: | 4 |
| Modes of operation: | Tryb wysoki, średni, niski, SOS |
| Rechargeable: | tak |
| Battery charge indicator: | tak |
| Light range [m]: | 20-50 |
| Color temperature [K]: | 8000 |
| Color rendering index Ra/CRI: | 80 |
| Lifespan L70/B50 [h]: | 30000 |









| Number of switching cycles: | 10000 |
|--|---|
| Degree of protection (IP): | IPX4 |
| Impact protection IK (shock resistance): | IKO3 |
| Model: | Światło czołowe |
| Material: | Tworzywo sztuczne |
| Colour housing: | Czarny |
| Length/height [mm]: | 60 |
| Width [mm]: | 32 |
| Depth [mm]: | 32 |
| Weight total [g]: | 40 |
| The ports: | Micro USB |
| Accessories: | Kabel ładowania |
| Additional information: | Wbudowany czujnik ruchu, ruchoma głowica w zakresie 45° |















