

Mini LED COB flashlight, 150lm, 180mAh, 5500K, colour mix

Marka: **Virone** | Symbol: **LT-20** | Ean: **5908254850431**

ViRONE

PRODUCT DESCRIPTION

The mini LED COB flashlight is perfect for everyday situations as an additional source of light. Its design makes it easy to attach to your keys, bag or backpack, making it always handy and useful, for example, when travelling.

The flashlight has two lighting modes – a continuous and a SOS mode, which is activated with a longer press. This feature may come in handy at the most unexpected moment. Despite its pocket size, the device provides

a wide lighting angle, effectively illuminating the space around it. The illumination range is 5 m.

A luminous flux of 550 lm emits light with a cold colour of 5500K. The LED COB technology ensures high luminous efficiency and uniform light distribution. The built-in 180mAh Li-Po battery eliminates the need to change batteries and the USB-C port allows the torch to be charged at any time (cable not included).

The flashlight is made of aluminium to guarantee durability. The IPX4 rating is the standard protection for this type of device. It provides resistance to moisture and splashes of water from any direction, such as during drizzle or gentle rain.

Dimensions measure 52x22x10 mm. Mixed colours: black, red, blue and dark green.

Sold in a display of 24 pieces.

TECHNICAL DATA

General information:

Lamp type:	LED COB
Power [W]:	1
Luminous flux [lm]:	150
Power type:	Akumulator Li-Po
Battery capacity [mAh]:	180
Battery type:	Akumulator zainstalowany na stałe
Number of light modes:	2
Modes of operation:	Praca ciągła, SOS
Rechargeable:	tak
Light range [m]:	5
Color temperature [K]:	5500
Color rendering index Ra/CRI:	80
Lifespan L70/B50 [h]:	50000
Degree of protection (IP):	IPX4
Model:	Kieszonkowe
Material:	Aluminium

Length/height [mm]:	52
Width [mm]:	22
Depth [mm]:	10
Weight total [g]:	18
The ports:	USB-C
Additional information:	Kolor mix: czarny, niebieski, czerwony, ciemnozielony
Rechargeable:	tak
With light source:	tak