

## Plug-in motion detector, 120°, IP20, 280W, Schuko

Marka: **Virone** | Symbol: **MS-1(GS)** | Ean: **5908254817243**

**ViRONE**

### PRODUCT DESCRIPTION

An electrical device that is installed in a standard wall socket. Thanks to the use of a PIR sensor, the device helps to automate the switching on and off of electrical devices after motion detection. The receivers are switched on at the appropriate daylight intensity.

## TECHNICAL DATA

### General information:

Type of sensor:	Infrared
Detection angle:	120°
Detection range:	9 m
Nominal voltage:	230V~, 50Hz
Max. load:	1200 W
Max. load of the LED light source:	300 W
Degree of protection (IP):	20
Colour:	white
Adjustable daylight sensor (LUX):	Yes
Adjustable time setting (TIME):	Yes
Adjustment of motion detection range (SENS):	Yes
Relay output:	No
Presence detector:	No
Working temperature:	-20~+40
Installation:	To the Schuko socket
Dimensions - width:	45 mm
Dimensions - height:	98.3 mm
Dimensions - depth:	81.5 mm
Lighting time adjustment range (TIME):	min.: 10 sek. ± 3 sek., max.: 15min.±2min
Daylight sensor adjustment range (LUX):	<3–2000lux
Other features:	SENS detection range adjustment: 2–9M



