

Cable reel, 4x 2P+E Schuko sockets, PVC, H05VV-F 3x1.5mm², 25m, thermic, safety shutters

ORNO

Marka: Orno | Symbol: OR-AE-13300(GS)/25M | Ean: 5908254852176



PRODUCT DESCRIPTION

The cable reel allows more devices to be safely and reliably connected to a single extension socket. It has 4 Schuko type (2P+E) mains sockets with safety shutters, providing convenience and compatibility with a variety of electrical equipment.

Thanks to its robust construction in high-quality plastic, it provides peace of mind and safety. The PVC cable with 25m length and specification of H05VV-F 3x1.5mm² gives flexibility and freedom of use, regardless of the

distance to the socket. The device has current protection in the form of a thermal switch, which guarantees smooth operation even under intensive use. The maximum load is 1100W/4.78A when the cable is coiled and 3200W/13.9A when the cable is uncoiled. Even the most demanding devices can be connected without hesitation.

Convenient carry and crank handles for rolling up the cable ensure ergonomics and comfort during transport.

Dimensions are 230x327x190 mm. Black and dark blue colour.

TECHNICAL DATA

General information:

Housing material:	Tworzywo sztuczne
Cable assembly:	H05VV-F
Core cross section [mm ²]:	1.5
Number of cores:	3
Number of socket outlets with protective contact CEE 7/3 (type F):	4
Cable length:	25
With mounting frame:	Tak
Automatic cable winding:	Nie
With thermal overload protection:	Tak
With locking:	Tak
Protection:	Wyłącznik nadprądowy
Degree of protection (IP):	IP20
Colour:	Czarno - granatowy
Fixed sockets:	Tak
Supply voltage [V]:	230
Frequency [Hz]:	50
Current [A]:	16
Socket type:	2P+Z
Socket standard:	Schuko (typ F)

Number of network sockets:	4
Shutters for current paths:	Tak
Max. Load/current cable rolled up:	1100W/4,78A
Max. Load/current cable unrolled:	3200W / 13,9A
Dimensions - width [mm]:	230
Dimensions - height [mm]:	327
Dimensions - depth [mm]:	190
Insulation type:	PVC