







Wall socket 2P+Z with USB-A + USB-C charger, Schuko, 5VDC, 3A, black

Marka: Orno | Symbol: OR-AE-13308(GS)/B | Ean: 5908254850394





PRODUCT DESCRIPTION

The modern single socket is a solution that combines the functionality of a traditional electrical socket with the possibility of connecting mobile devices thanks to a built-in USB charger.

The 2P+E socket in Schuko standard has been designed for mounting in a standard fi 60mm installation box. It operates with a supply voltage of 230V, 50Hz and a maximum load of 3680W.









The socket is equipped with two USB ports (A+C), for charging mobile devices, including phones, tablets, as well as Apple-branded devices such as the iPhone or iPad. The charger's maximum output power of 20W ensures fast and efficient charging.

The product is made of glass, which provides a modern and elegant look that will fit in with modern interiors. Dimensions: 87x87x10 mm. Available in white and black.

TECHNICAL DATA

General information:

Model:	Gniazdo wtykowe CEE 7/3 (typ F)
Protective contact:	Blaszki uziemiające
Number of ports USB-A:	1
Number of ports USB-C:	1
Max. current rating of USB power supply [A]:	3
USB charger output parameters:	USB-C: 5V-3A, 9V-2.22A, 12V-1.67A USB-A: 5V-3A, 9V-2A, 12V-1.5A USB-C+USB-A: 5V-3.4A
Number of socket:	1
Number of phases:	1
Connection type:	Zacisk śrubowy
Safety shutters:	Tak
Label space/information surface:	Nie
Colour:	Czarny
Mounting method:	Montaż podtynkowy
Type of fastening:	Montaż śrubowy
Material:	Szkło
Surface protection:	Stan surowy
Surface finishing:	Błyszczący
Nominal current [A]:	16
Nominal voltage [V]:	230
Max. load [W]:	3680











Frequency [Hz]:	50
Suitable for degree of protection (IP):	IP20
Device width [mm]:	87
Device height [mm]:	87
Device depth [mm]:	10
Min. depth of built-in installation box [mm]:	33