

## Cable reel, 4x 2P+E sockets, PVC, H07RN-F 3x2.5mm<sup>2</sup>, 40m, thermic, safety shutters

Marka: Orno | Symbol: OR-AE-13313/40M | Ean: 5908254852183

**ORNO**


### PRODUCT DESCRIPTION

The cable reel allows more devices to be safely and reliably connected to a single extension socket. It has 4 French type (2P+E) mains sockets with safety shutters, providing convenience and compatibility with a variety of electrical equipment.

The PVC cable with a length of 40m and specification of H05VV-F 3x2.5mm<sup>2</sup> gives flexibility and freedom of use, regardless of the distance to the socket. The device has a current protection in the form of a thermal

switch, which guarantees smooth operation even under intensive use. The maximum load is 1100W/4.78A when the cable is coiled and 3680W/16A when the cable is uncoiled. Even four demanding devices can be connected without hesitation.

Convenient carry and crank handles for rolling up the cable ensure ergonomics and comfort during transport.

Dimensions are 280x370x210mm. Black and dark blue colour.

## TECHNICAL DATA

### General information:

Housing material:	Tworzywo sztuczne
Cable assembly:	H07RN-F
Core cross section [mm <sup>2</sup> ]:	2.5
Number of cores:	3
Number of sockets with protective contact - pin (type E):	4
Cable length:	40
With mounting frame:	Tak
Automatic cable winding:	Nie
With thermal overload protection:	Tak
With locking:	Tak
Protection:	Wyłącznik nadprądowy
Degree of protection (IP):	IP44
Colour:	Czarno - granatowy
Fixed sockets:	Tak
Supply voltage [V]:	230
Frequency [Hz]:	50
Current [A]:	16
Socket type:	2P+Z
Socket standard:	French (typ E)

Number of network sockets:	4
Shutters for current paths:	Tak
Max. Load/current cable rolled up:	1000W/4,35A
Max. Load/current cable unrolled:	3200W / 13,9A
Dimensions - width [mm]:	280
Dimensions - height [mm]:	370
Dimensions - depth [mm]:	210
Insulation type:	PVC