MICRO cable connector, straight, IP68, 2x1.0mm2, 450V/10A, 2 pcs.

Marka: **Orno** | Symbol: **OR-AE-13614/2** | Ean: **5908254821035**

PRODUCT DESCRIPTION

MICRO cable connector, with a simple shape and very small dimensions. High degree of tightness IP68 protects against external factors, and the innovative O-Ring seal does not expose the seal to damaging external, chemical and mechanical conditions. The material used for the production of the connector is resistant to UV rays and is suitable for outdoor use. Its rigid, compact form and innovative sealing enable installation in the ground. The contacts are made of brass, additionally protected against oxidation with a layer of nickel. The cable gland is equipped with a thick gasket that tightly seals all inserted wires. The

ORNO GROUP Sp. z o. o. All rights reserved.

product is perfect for outdoor low-voltage lighting installations (with 2 wires + and -). The set includes two pieces.

TECHNICAL DATA

General information:

Connector type:	MICRO straight
Wire cross-section:	1,5 mm
Number of wires:	2
Power supply:	450V
Current:	16 A
Cable gauge:	2-6,5 mm
Degree of protection (IP):	68
Contacts material:	nickel-plated brass
Flame-resistant casing:	yes
UV radiation resistance:	Yes
Case flammability standard UL94:	V1
Dimensions - length (mm):	57 mm
Type of connection:	screw clamp
Underground installation:	Yes
Material housing:	PA6

ORNO GROUP Sp. z o. o. All rights reserved.

ORNO GROUP Sp. z o. o. All rights reserved.