

## PIR motion sensor 360°, 3 detectors, 3 ways of installation, IP44

Marka: Orno | Symbol: OR-CR-225 | Ean: 5901752483064

**ORNO**


### PRODUCT DESCRIPTION

Passive infrared sensor (triple sensor system with detectors positioned at a specific angle) For indoor and outdoor usage Collaborates with LED lighting Mechanical adjustment of vertical and horizontal 3 Types of assembly: internal corner, outside corner and on a flat surface Regulation: lighting time (TIME) and the sensitivity of the light intensity (LUX) Suitable for use in large rooms eg. warehouses, waiting rooms.

## TECHNICAL DATA

### General information:

Max. load:	1200
Max. load of the LED light source:	300 W
Degree of protection (IP):	44
Relay output:	Yes
Nominal voltage:	230V~, 50Hz
Presence detector:	No
Colour:	white
Installation:	surface mounting
Dimensions of the sensor - width (mm):	79 mm
Dimensions of the sensor - height (mm):	119 mm
Dimensions of the sensor - depth (mm):	60 mm
Detection angle:	360°
Type of sensor:	Infrared
Detection range:	12 m
Adjustable daylight sensor (LUX):	Yes
Daylight sensor adjustment range (LUX):	<3–2000lux
Adjustable time setting (TIME):	Yes
Lighting time adjustment range (TIME):	min: 10 sek. ± 3 sek.; max: 7 min. ± 2 min.
Adjustment of motion detection range (SENS):	No



