

Ceiling mounted ultrasonic motion and presence sensor, IP65, 2000W

Marka: Orno | Symbol: OR-CR-297/W | Ean: 5908254852190

ORNO



PRODUCT DESCRIPTION

TECHNICAL DATA

General information:

Model:	Czujnik obecności
Sensor type:	Ultradźwięki
Scan angle [°]:	360
Optimum mounting height [m]:	2-4
Max. presence range [m]:	28
Max. reach frontally [m]:	3
Diameter reach of presence sensor on floor [m]:	2-6
Diameter reach on floor [m]:	2-6
Working frequency:	24
Detection moving speed [m/s]:	0,6 - 1,5
Response value sensitivity adjustable:	Tak
Response value luminosity adjustable:	Tak
Light intensity adjustment range [lux]:	<3-2000
Mounting method:	Montaż podtynkowy
Suitable for ceiling mounting:	Tak
Suitable for wall mounting:	Nie
Connection type:	Zacisk śrubowy
Material:	Tworzywo sztuczne
Material quality:	Tworzywo termoplastyczne
Colour:	Biały
Degree of protection:	IP65
Voltage type:	AC
Frequency [Hz]:	50
Nominal voltage [V]:	230
Min. switch-on time [s]:	10
Max. duty cycle [min]:	12
Detection angle horizontal [°]:	360
Max. switching power [W]:	2000

Max. switching power LED [W]:	1000
Power consumption [W]:	0,5
Relay output:	Tak
Temperature [°C]:	-20 – +50
Working humidity:	<93%
Real presence sensor:	Tak
Depth [mm]:	66
Diameter [mm]:	75
Weight [g]:	95
Built-in depth [mm]:	63
Built-in diameter [mm]:	61