

SETI AC, wireless doorbell, learning system, 32 sounds, 150m, black

Marka: ORNO Home | Symbol: OR-DB-AB-169/B | Ean: 5908254843594



PRODUCT DESCRIPTION

The SETI AC wireless doorbell is a perfect solution for every household. Thanks to the wireless technology no complicated installation is required. Simply put the transmitter near the door or wicket, and the receiver anywhere in the home.

The receiver operates at standard mains voltage eliminating the need of regular battery change and ensuring uninterrupted work. The transmitter is battery-free; thus, convenient in use.

As transmission range in the open area reaches up to 150 m, the transmitter may be easily placed in any distance from the house. IP44 protection rate ensures rain and dust resistance as well as undisturbed operation in every weather conditions.

It has 32 different ring tones and a volume regulation. The user may adjust the ringtone to their own preferences.

The additional advantage is the possibility of expanding the receiver with more transmitters thanks to the learning system. You may add and place several transmitters at different entrances.

The housing in black with rubberized matte finish (rubber touch) gives the device aesthetic and elegant look, which fits in every interior.

TECHNICAL DATA

General information:

Wireless:	tak
Max. transmission range [m]:	150
Frequency [MHz]:	433.92
Possibility of extension by an additional transmitters:	tak
Other features:	learning system

Receiver:

Type of current (receiver):	AC
Nominal voltage [V]:	230
Electricity consumption [W]:	<0,5W
Number of ringtones:	32
Loudness [dB]:	85 dB
Volume adjustment [dB]:	tak
Volume adjustment range [dB]:	55-85
Optical indication:	tak
Housing material (receiver):	Inne: efekt soft touch
Colour housing:	Czarny

Width (receiver) [mm]:	81
Height (receiver) [mm]:	81
Depth (receiver) [mm]:	67

Transmitter:

Battery - type and quantity (transmitter):	Bezbateryjny
Built-in battery (transmitter):	nie
Transmitter max. power [mW]:	<10
Degree of protection (IP) (transmitter):	IP44
With lighting:	tak
With name plate:	tak
Housing material (transmitter):	Tworzywo sztuczne
Colour (transmitter):	Czarny
Width (transmitter) [mm]:	38
Height (transmitter) [mm]:	92.5
Depth (transmitter) [mm]:	19



