

TELA DC wireless battery-powered doorbell, learning system, 38 sounds, 150m, white

Marka: **ORNO Home** | Symbol: **OR-DB-KA-168/W** | Ean: **5908254842603**



PRODUCT DESCRIPTION

The TELA DC wireless doorbell is a modern and functional device that stands out not only for its aesthetics, but also for its many practical functions. The unique textile finish of the receiver front makes Tela a model that is not only functional but also aesthetically pleasing. The small size of the receiver and transmitter makes adapting it to different rooms of the house no problem. In addition, the doorbell's range (150m in an open area) allows its receiver to be placed freely even in remote areas of the house from the transmitter. The doorbell is battery powered, which must be purchased, while the transmitter is powered by a CR2032 battery,

which is included in the set.

Choosing one of 38 different melodies ensures that the doorbell can be tailored to suit your needs. Thanks to the four-stage volume control, the strength of the sound signal can also be adapted to the requirements of the residents. The device is also equipped with an additional optical signal, which expands the possibilities of its use.

The weatherproofing of the transmitter reaches IP44, which means you don't have to worry about the doorbell working during rainy days or strong gusts of wind. In addition, the learning system allows the system to be expanded with further transmitters and the doorbell can be easily adapted to individual users' needs.

TECHNICAL DATA

General information:

Wireless:	tak
Max. transmission range [m]:	150
Frequency [MHz]:	433.92
Possibility of extension by an additional transmitters:	tak
Other features:	Learning System

Receiver:

Type of current (receiver):	DC
Nominal voltage [V]:	3
Battery - type and quantity (receiver):	2xAA
Built-in battery (receiver):	nie
Electricity consumption [W]:	0.2
Number of ringtones:	38
Loudness [dB]:	85
Volume adjustment [dB]:	tak
Volume adjustment range [dB]:	60-85
Optical indication:	tak
Mounting method:	Montaż natynkowy

Degree of protection (IP):	IP20
Housing material (receiver):	tworzywo sztuczne i materiał
Colour housing:	Biały
Width (receiver) [mm]:	71
Height (receiver) [mm]:	71
Depth (receiver) [mm]:	31.5
Other features (receiver):	3 tryby sygnalizacji

Transmitter:

Type of current (transmitter):	DC
Nominal voltage (transmitter) [V]:	3
Battery - type and quantity (transmitter):	1xCR2032
Built-in battery (transmitter):	tak
Transmitter max. power [mW]:	<5
Degree of protection (IP) (transmitter):	IP44
With lighting:	tak
With name plate:	tak
Housing material (transmitter):	Tworzywo sztuczne
Colour (transmitter):	Biały
Width (transmitter) [mm]:	30
Height (transmitter) [mm]:	73
Depth (transmitter) [mm]:	15



