







TULO DC, wireless battery-powered doorbell, learning system, 36 sounds, 150m, white

Marka: ORNO Home | Symbol: OR-DB-KD-177/W | Ean: 5908254849947





PRODUCT DESCRIPTION

The wireless battery-powered doorbell TULO DC is a modern and reliable appliance that is perfect for any household. Thanks to the wireless system, no installation is required - the transmitter may be placed at the door or wicket and the receiver plugged into any socket in the house. The unit operates at 433.92 MHz and its range in the open field reaches up to 150 m, allowing great flexibility in placing its elements, even in large houses or gardens.









The transmitter is IP44 rated ensuring effective protection against rain and dust. This makes it perfect for outdoor use, even during harsh weather conditions. The unit features a backlit which facilitates to use it in the dark and a practical plate for a name or house number. The power is provided by a built-in CR2032 battery. Made of durable plastic in white. The dimensions measure 33x77x18 mm.

Thanks to the learning system, it is possible to add extra transmitters that may be installed at different entrances, such as the main door, side door or wicket. All transmitters may be connected to a single receiver.

The receiver is designed for a nominal voltage of 230V. It offers up to 36 different melodies, allowing the user to select a sound to suit their needs or the circumstances. The 5-stage volume control allows to adjust the signal from a quiet one to a loud 86 dB sound. A complete mute option is available for greater convenience. In addition, the device offers 2 signalling modes: visual and visual-acoustic. They allow the notification to be adjusted to one's expectations or the time of day. One may mute the sound and leave the conspicuous lighting or leave the sound combined with lighting.

The doorbell is powered by two AA batteries (not supplied). The IP20 protection rating is suitable for use in dry places. Made of high-quality plastic in white. The dimensions measure 70x70x31 mm. Surface mounted.

TECHNICAL DATA

General information:

Wireless:	tak
Max. transmission range [m]:	150
Frequency [MHz]:	433,92 MHz
Possibility of extension by an additional transmitters:	tak
Other features:	learning system

Receiver:

ORNO GROUP Sp. z o. o. All rights reserved.

Type of current (receiver):	DC
Nominal voltage [V]:	3
Battery - type and quantity (receiver):	2xAA
Built-in battery (receiver):	nie
Electricity consumption:	<300mA
Number of ringtones:	36

Page 2 / 3







Loudness [dB]:	86
Volume adjustment:	tak
Volume adjustment range [dB]:	0-86
Optical indication:	tak
Mounting method:	Montaż natynkowy
Degree of protection (IP):	IP20
Housing material (receiver):	Tworzywo sztuczne
Colour housing:	Biały
Width (receiver) [mm]:	70
Height (receiver) [mm]:	70
Depth (receiver) [mm]:	31

Transmitter:

Type of current (transmitter):	DC
Nominal voltage (transmitter) [V]:	3
Battery - type and quantity (transmitter):	CR2032
Built-in battery (transmitter):	tak
Transmitter max. power [mW]:	<10
Degree of protection (IP) (transmitter):	IP44
With lighting:	tak
With name plate:	tak
Housing material (transmitter):	Tworzywo sztuczne
Colour (transmitter):	Biały
Width (transmitter) [mm]:	33
Height (transmitter) [mm]:	77
Depth (transmitter) [mm]:	18