

Single-family doorphone set, surface mounted with proximity tag reader, MIZAR



Marka: **ORNO Home** | Symbol: **OR-DOM-AT-929/W** | Ean: **5908254804090**



PRODUCT DESCRIPTION

Single-family doorphone set, suitable for surface-mounting in residential buildings, offices, schools, kindergartens, hospitals, etc. It enables remote conversation between the external panel and an indoor handset and it directly controls electric strike and gate opening. The external panel has got a protective hood. The set has been equipped with proximity tags reader. It allows volume adjustment and intercom function (after connection of an additional handset).

TECHNICAL DATA

General information:

Type:	jednorodzinny
Current supply:	Zasilanie sieciowe
Nominal voltage [V]:	13,5V DC
Type of transmission:	przewodowy
Installation technique:	System wieloprzewodowy
Number of wires (*from outdoor station to electric strike):	3 (+2)*
Number of indoor stations:	1
Number of outdoor stations:	1
Expandable to max. number of indoor stations:	2
Expandable to max. number of outdoor stations:	1
Operation door lock:	tak
Current supply of the electric strike:	dodatkowy zasilacz niewymagany
:	z panelem zewnętrznym
With automatic door opener:	tak

Indoor panel:

Mounting method indoor station:	Montaż natynkowy
Hands free:	nie
Internal communication:	tak
Number of ringtones:	1
Loudness control:	tak
Mutable call tone:	nie
Material indoor station:	Tworzywo sztuczne
Colour indoor station:	Biały
Width [mm]:	82

Height [mm]:	180
Depth [mm]:	40

External panel:

Number of call buttons:	1
Mounting method outdoor station:	Montaż natynkowy
With digital door code:	nie
Card and proximity tags reader:	tak
Frequency of RFID tags:	125kHz
Label space/information surface:	tak
With cover:	tak
Degree of protection (IP):	IP44
Material outdoor station:	Aluminium
Colour outdoor station:	Srebrny
Width [mm]:	74.5
Height [mm]:	165
Depth [mm]:	40
Other features:	RFID - max. 10 użytkowników (breloki w zestawie: 4 użytkownika + 2 administracyjne)





