

Single family doorphone, FOSSA INTERCOM

Marka: ORNO Home | Symbol: OR-DOM-RL-902 | Ean: 5908235905297



PRODUCT DESCRIPTION

External panel requires flush mounting (usage of the protective rain cover OR-DOM-RL-901DN enables surface mounting) Backlit place for name The duplex transmission allows trouble-free conversation Classic and elegant uniphone equipped with a handset Direct control of an electric strike without any additional transformer Energy efficient Each uniphone is protected by a fuse The intercom function enables communication between uniphones.

TECHNICAL DATA

General information:

Type:	jednorodzinny
Current supply:	Zasilanie sieciowe
Nominal voltage [V]:	230V AC
Type of transmission:	przewodowy
Installation technique:	System wieloprzewodowy
Number of wires (*from outdoor station to electric strike):	4
Number of indoor stations:	2
Number of outdoor stations:	1
Expandable to max. number of indoor stations:	2+n
Expandable to max. number of outdoor stations:	1
Operation door lock:	tak
Current supply of the electric strike:	dodatkowy zasilacz niewymagany
:	z unifonem
With automatic door opener:	nie

Indoor panel:

Mounting method indoor station:	Montaż natynkowy
Hands free:	nie
Internal communication:	tak
Number of ringtones:	1
Loudness control:	nie
Mutable call tone:	nie
Material indoor station:	Tworzywo sztuczne
Colour indoor station:	Biały
Width [mm]:	98

Height [mm]:	215
Depth [mm]:	68

External panel:

Number of call buttons:	1
Mounting method outdoor station:	Montaż podtynkowy
With digital door code:	nie
Card and proximity tags reader:	nie
Label space/information surface:	tak
With cover:	nie
Degree of protection (IP):	IP44
Material outdoor station:	Aluminium
Colour outdoor station:	Srebrny
Width [mm]:	116
Height [mm]:	200
Depth [mm]:	54
Built-in width [mm]:	100
Built-in height [mm]:	165
Built-in depth [mm]:	40
Other features:	Montaż natynkowy przy użyciu daszka OR-DOM-RL-901DN/G lub OR-DOM-RL-901DN/B





