

2-wire doorphone, surface mounted, SALEM MULTI

Marka: **Vibell** | Symbol: **OR-DOM-SL-924** | Ean: **5901752486751**




PRODUCT DESCRIPTION

External panel requires surface mounting (protective rain cover included) Backlit place for name The duplex transmission allows trouble-free conversation Classic and elegant uniphone equipped with a handset Smooth volume adjustment Additional gate control function Direct control of an electric strike without any additional transformer The intercom function (after the application of an additional uniphone) enables communication between uniphones.

TECHNICAL DATA

General information:

Type:	wielorodzinny
Current supply:	Zasilanie sieciowe
Nominal voltage [V]:	18V DC
Type of transmission:	przewodowy
Installation technique:	Dwużyłowe
Number of wires (*from outdoor station to electric strike):	2 (+2)*
Number of indoor stations:	2
Number of outdoor stations:	1
Expandable to max. number of indoor stations:	4
Expandable to max. number of outdoor stations:	1
Operation door lock:	tak
Current supply of the electric strike:	dodatkowy zasilacz niewymagany
:	z panelem zewnętrznym
With automatic door opener:	tak
Other features:	Zasilacz na szynę DIN - jeden dla całego zestawu

Indoor panel:

Mounting method indoor station:	Montaż natynkowy
Hands free:	nie
Internal communication:	tak
Number of ringtones:	2
Loudness control:	tak
Mutable call tone:	nie
Material indoor station:	Tworzywo sztuczne
Colour indoor station:	Biały

Width [mm]:	105
Height [mm]:	210
Depth [mm]:	26
Other features:	Słuchawka magnetyczna

External panel:

Number of call buttons:	2
Mounting method outdoor station:	Montaż natynkowy
With digital door code:	nie
Card and proximity tags reader:	nie
Label space/information surface:	tak
With cover:	tak
Degree of protection (IP):	IP54
Material outdoor station:	Aluminium
Colour outdoor station:	Srebrny
Width [mm]:	90
Height [mm]:	135
Depth [mm]:	30



