Symmetric electric strike with unclosed door signalling, MINI, low current coil

Marka: **ORNO Home** | Symbol: **OR-EZ-4029** | Ean: **5908254804045**

PRODUCT DESCRIPTION

The smallest electric strike available on the market. It can work with the doorphones, video doorphones installation and code locks in the front of single- and multi-family doors It can be mounted on the outside of the standard faceplate Symmetrical design and small dimensions Made of corrosion resistant materials (aluminum and zinc alloy) Equipped with: safe, patented and adjustable latch keeper mechanism (2 mm). Electric strike has been equipped with Low current coil with wide voltage range , current consumption is 280mA for 12V direct current and 250mA for 12V alternating current.

ORNO GROUP Sp. z o. o. All rights reserved.

TECHNICAL DATA

General information:

Power consumption during operation:	280mA / 12VDC
Direction of opening:	right/left
MINI size:	yes
Latch adjustment:	Yes
Nominal voltage:	9-24V AC/DC
Door open indicator:	Yes
Latch guide:	No
Mechanical unlocking:	No
Dimensions - depth:	16 mm
Dimensions - width:	28,1 mm
Dimensions - height:	72.7 mm
Other features:	door-open indicator
Memory:	No

ORNO GROUP Sp. z o. o. All rights reserved.

ORNO GROUP Sp. z o. o. All rights reserved.

ORNO GROUP Sp. z o. o. All rights reserved.