

Symmetric electric strike with lock, latch adjustment, low current coil, 280mA for 12VDC

Marka: ORNO Home | Symbol: OR-EZ-4044 | Ean: 5908254851445



PRODUCT DESCRIPTION

Symmetric electric strike with memory adapted to both door opening directions (right/left). An adjustable latch allows to set up electric strike to various doors and frames.

The product is equipped with a mechanism that locks strike in open position and makes door constantly open.

The low-current coil has a low current consumption of 280mA at 12V DC and 250mA at 12V AC. The device

operates over a wide supply voltage range between 10-24V AC/DC.

The electric strike works with doorphone and video doorphone systems.

TECHNICAL DATA

General information:

Model:	Do drzwi standardowych
Type of latch:	Zatrask standardowy
Construction type:	Symetryczny
Built-in position:	Pionowy
Height [mm]:	71
Width [mm]:	20.1
Depth [mm]:	28
Assembly arrangement:	Część ramowa (Elektro zaczep)
Voltage [V]:	10-24
With locking:	yes
With Memory:	no
With latch regulation:	yes
With feedback signal:	no
Opening direction according to DIN:	Lewy/prawy
Water protected:	no
Mounting method:	Do wbudowania
Type of current:	AC/DC
Principle of operation:	Prąd pracy
Unlocking method:	Model standardowy
Continuous operation (100 % ED):	Tak
Suitable for smoke protection door:	Tak
Forend shape:	Brak
Utility category according to EN 14846:	3

Lasting functionability according to EN 14846:	C
Mass of door, clamp force according to EN 14846:	3
Suitable for fire- and smoke protection doors according to EN 14846:	A
Safety - personal protection according to EN 14846:	0
Environmental condition according to EN 14846:	L
Safety - burglary protection according to EN 14846:	0
Protection effect electric operating mode according to EN 14846:	0
Protection effect mechanic operating mode according to EN 14846:	0
Connection voltage [V]:	10-24
Voltage type:	AC/DC