

Flush-mounted junction box for plasterboard walls - 60 mm, shallow

ORNO

Marka: Orno | Symbol: OR-JB-13819 | Ean: 5904988914623



PRODUCT DESCRIPTION

The series flush-mounted junction box is an electrical component designed for installation in walls to effectively secure electrical cable connections. It allows several boxes to be connected in series, which is useful when installing several sockets or switches next to each other.

Flush mounting renders the cable connections almost invisible, ensuring an aesthetically pleasing finish. Mounting with the help of screws or a strut (no mounting accessories included) in plasterboard panels.

Equipped with 10 inlets on the back, the box provides easier and more secure installation and also allows for convenient cable routing. In addition, the product has a housing feed-through by break-out opening and housing feed-through by nozzle, making it suitable for pipes and cables 20 mm in diameter.

The product is made of plastic in orange. It is round, 68 mm in diameter. An internal depth of 60 mm provides more space for cables, connectors and installation components.

TECHNICAL DATA

General information:

| | |
|--|----------------------------|
| Mounting method: | Montaż podtynkowy |
| Shape: | Okrągły |
| Construction type: | Puszka elektroinstalacyjna |
| Model: | Pojedynczy |
| Provided with revolving ring: | Nie |
| Couplable: | Tak |
| Diameter [mm]: | 68 |
| Length [mm]: | 68 |
| Width [mm]: | 68 |
| Depth [mm]: | 62 |
| Inner depth [mm]: | 60 |
| Mounting switching equipment: | Śrubowy lub rozporowy |
| With screws: | Tak |
| Housing feed-through by break-out opening: | Tak |
| Housing feed-through by seal membrane: | Nie |
| Housing feed-through by nozzle: | Tak |
| Housing feed-through by step membrane: | Nie |
| For tube diameter: | 20 mm |
| Suitable for cable diameter [mm]: | 20 mm |
| Pipe locking: | Nie |
| Pipe locking optional: | Nie |

| | |
|----------------------------|-------------------|
| Inlet from the rear: | Tak |
| Number of inlets: | 10 |
| Material: | Tworzywo sztuczne |
| Halogen free: | Tak |
| Surface protection: | Inne |
| Colour: | Pomarańczowy |
| Degree of protection (IP): | IP30 |
| Sealable: | Nie |
| With screening: | Nie |
| Air tight: | Nie |
| Clamp position fixed: | Nie |
| Luminaire hook mounting: | Nie |
| With partition panel: | Nie |