

LED floodlight SIROCCO with motion sensor

Marka: Orno | Symbol: OR-NL-348BLPPR4 | Ean: 5901752483613

ORNO

PRODUCT DESCRIPTION

Use of the LED technology guarantees high energy efficiency and long life. The protection level IP44 allows its installation in rooms of increased humidity. The PIR motion detector responds to motion and the twilight sensor switches lighting on only if necessary (depending on settings). Built-in LED driver.

TECHNICAL DATA

General information:

Luminous flux:	1500 lm
Rated power:	25 W
Light source:	LED SMD
Degree of protection (IP):	44
Colour temperature:	4000
Nominal voltage:	230V~, 50Hz
Colour:	black
Solar panel:	No
Dimensions - depth:	178 mm
Dimensions - width:	180 mm
Dimensions - height:	208 mm
Colour rendering index CRI:	>85
Detection angle:	180°
Control of the motion sensor:	Yes
Type of sensor:	PIR
Detection range:	12m m
Adjustable daylight sensor (LUX):	Yes
Daylight sensor adjustment range (LUX):	<3–2000lux
Adjustable time setting (TIME):	Yes
Lighting time adjustment range (TIME):	min: 10 sek. ± 3 sek.; max: 7 min. ± 2 min.
Adjustment of motion detection range (SENS):	No



