

TOS LED garden floodlight with PIR motion sensor 240°, 30W, white

ORNO

Marka: **Orno** | Symbol: **OR-NL-6148WLR4** | Ean: **5908254801044**



PRODUCT DESCRIPTION

Garden floodlight designed for outdoor installation in parking areas, gardens, buildings, fences and billboards, etc. It is also suitable for indoor installation in areas, such as halls, garages. Built-in LED SMD diodes constitute the source of light and guarantee high energy-efficiency and long service lifetime. The built-in PIR sensor activates the light only when a motion is detected and allows adjustment of light activation time accordingly to user's preferences (from 10 +/- seconds to 15 +/- minutes). It detects day and night. The maximal detection range is 10 meters. A movable fixture allows to adjust light angle (180° horizontally, 125°

vertically). The fixture is highly resistant to harsh weather conditions (-20 ~+40°C). Available in black or white option.

TECHNICAL DATA

General information:

Luminous flux:	2200 lm
Rated power:	30 W
Light source:	LED SMD
Degree of protection (IP):	65
Colour temperature:	4000K
Nominal voltage:	230V~, 50Hz
Colour:	white
Solar panel:	No
Dimensions - depth:	199 mm
Dimensions - width:	255 mm
Dimensions - height:	187 mm
Colour rendering index CRI:	>80
Detection angle:	240°
Material of the lampshade:	PC
Control of the motion sensor:	Yes
Daylight sensor adjustment range (LUX):	<3–2000lux
Adjustable time setting (TIME):	Yes
Lighting time adjustment range (TIME):	min.: 10 sek. ± 3 sek., max.: 15min.±2min
Adjustment of motion detection range (SENS):	Yes

