

## STATIX 30W workshop floodlight with a stand, 2400lm, IP65, 6000K

Marka: Orno | Symbol: OR-NR-6196L6 | Ean: 5908254812927

**ORNO**



### PRODUCT DESCRIPTION

STATIX LED portable floodlight has an increased ingress protection rating (IP65) and can be used to provide

light when working outside, at home, in a garage, cellar or even inside a car or at a camping site. It has been equipped with energy-saving LED diodes, which produce cold light. Compared to other floodlights, STATIX features a high color rendering index (CRI≥80) and, when working indoors, it reflects the colors of the illuminated surface better. The use of such a source of light guarantees no flashing and no harmful impact on your eyes. Other features of the device: robust carrying handle, rotating and detachable stand that can be adjusted: horizontally within 360°, vertically (up or down). This device comes with a 2.5m long plug-in cord and is mains-operated.

## TECHNICAL DATA

### General information:

Conductor cross section:	1 mm <sup>2</sup>
Place of application:	Inside and out
Durability L70/B50:	30000 h
Connection type:	The cable is terminated with a plug
The minimum distance from the illuminated object:	1 m
Luminous flux:	2400 lm
Rated power:	30 W
Light source:	LED SMD
Degree of protection (IP):	65
Colour temperature:	6000K
Beam angle:	120 °
Ambient temperature range to which the product may be exposed:	-30 ~ 50 °C
Colour:	black/yellow
Dimensions - depth:	210 mm
Battery included:	No
Dimensions - width:	160 mm
Dimensions - height:	155 mm
Colour rendering index CRI:	>80
Weight:	750 g

Material housing:	Aluminum
Type of cable:	H05RN F3G
Material of the lampshade:	Tempered glass
Number of on / off cycles:	30000
Handle material:	Steel
Protection class against electric shock:	I
Wire length:	2.5 m