







## ToDo Double socket 2x2P+E, Schuko 16A/230VAC, IP20, Black

Marka: Orno | Symbol: OR-OE-7206(GS)/B | Ean: 5908254843112

ORNO



## PRODUCT DESCRIPTION

ToDo series combines simple solutions suitable for domestic and professional use. It is a basic electrical equipment series applied in every building thanks to thought-out and simple design. You may use ToDo in service rooms and offices, but also in private residences or flats.

It is aesthetic and minimalistic. In addition, the loft design of the black socket works well in industrial interiors. Premium quality materials ensure high resistance to UV radiation and mechanical damages.









Schuko type of ToDo double socket (2x2P+E) is convenient even during self-assembly and is easy to clean. Moreover, it has many entries to run cables easily from any direction: from the top, bottom and even from the behind. Simply broke the cable opening with the help of special perforations.

IP20 ingress protection rate ensures save and long-lasting usage.

The electrical socket is surface mounted and suitable wherever a convenient and save power source is needed.

Black colour. The series includes single sockets and switches too. Available also in white and in a set of 10.

## TECHNICAL DATA

## General information:

Frequency [Hz]: 50  Width of device [mm]: 64  Height of device [mm]: 128  Depth of device [mm]: 40  Nominal voltage [V]: 230  Mounting method: Montaż natynkowy  Colour: Czarny  Model: Ze stykiem ochronnym (SCHUKO)  Number of units: 2  Connection type: Zacisk śrubowy  Surface protection: Stan surowy  With signal lamp: nie  Number of phases: 1  With enhanced contact protection: tak		
Width of device [mm]:  Height of device [mm]:  Depth of device [mm]:  Nominal voltage [V]:  Mounting method:  Colour:  Czarny  Model:  Ze stykiem ochronnym (SCHUKO)  Number of units:  2  Connection type:  Surface protection:  Stan surowy  With signal lamp:  Number of phases:  1  With enhanced contact protection:  tak	Nominal current [A]:	16
Height of device [mm]:  Depth of device [mm]:  Nominal voltage [V]:  Mounting method:  Colour:  Czarny  Model:  Ze stykiem ochronnym (SCHUKO)  Number of units:  Connection type:  Surface protection:  Stan surowy  With signal lamp:  Number of phases:  1  With enhanced contact protection:  tak	Frequency [Hz]:	50
Depth of device [mm]:  Nominal voltage [V]:  Mounting method:  Colour:  Czarny  Model:  Ze stykiem ochronnym (SCHUKO)  Number of units:  2  Connection type:  Surface protection:  Stan surowy  With signal lamp:  Number of phases:  1  With enhanced contact protection:  tak	Width of device [mm]:	64
Nominal voltage [V]:       230         Mounting method:       Montaż natynkowy         Colour:       Czarny         Model:       Ze stykiem ochronnym (SCHUKO)         Number of units:       2         Connection type:       Zacisk śrubowy         Surface protection:       Stan surowy         With signal lamp:       nie         Number of phases:       1         With enhanced contact protection:       tak	Height of device [mm]:	128
Mounting method:Montaż natynkowyColour:CzarnyModel:Ze stykiem ochronnym (SCHUKO)Number of units:2Connection type:Zacisk śrubowySurface protection:Stan surowyWith signal lamp:nieNumber of phases:1With enhanced contact protection:tak	Depth of device [mm]:	40
Colour:  Model: Ze stykiem ochronnym (SCHUKO)  Number of units: 2 Connection type: Zacisk śrubowy  Surface protection: Stan surowy  With signal lamp: nie  Number of phases: 1 With enhanced contact protection: tak	Nominal voltage [V]:	230
Model:Ze stykiem ochronnym (SCHUKO)Number of units:2Connection type:Zacisk śrubowySurface protection:Stan surowyWith signal lamp:nieNumber of phases:1With enhanced contact protection:tak	Mounting method:	Montaż natynkowy
Number of units:2Connection type:Zacisk śrubowySurface protection:Stan surowyWith signal lamp:nieNumber of phases:1With enhanced contact protection:tak	Colour:	Czarny
Connection type: Zacisk śrubowy  Surface protection: Stan surowy  With signal lamp: nie  Number of phases: 1  With enhanced contact protection: tak	Model:	Ze stykiem ochronnym (SCHUKO)
Surface protection:       Stan surowy         With signal lamp:       nie         Number of phases:       1         With enhanced contact protection:       tak	Number of units:	2
With signal lamp: nie  Number of phases: 1  With enhanced contact protection: tak	Connection type:	Zacisk śrubowy
Number of phases:  1 With enhanced contact protection: tak	Surface protection:	Stan surowy
With enhanced contact protection: tak	With signal lamp:	nie
	Number of phases:	1
With on off switch:	With enhanced contact protection:	tak
With on, on switch.	With on/off switch:	nie
Protective contact: tak	Protective contact:	tak
Label space/information surface: nie	Label space/information surface:	nie









Material quality:	Tworzywo termoplastyczne
Material:	Tworzywo sztuczne
Type of fastening:	Montaż natynkowy
Surface finishing:	Błyszczący
Suitable for degree of protection [IP]:	IP20
Quantity:	1















