

## Surface-mounted two-button switch + Single socket ToDo, IP20, 2P+E, white, 10 pcs.

Marka: Orno | Symbol: OR-OE-7207/2/W/10 | Ean: 5908254851988

**ORNO**

### PRODUCT DESCRIPTION

ToDo series combines simple solutions suitable for domestic and professional use. It is a basic electrical equipment series applied in every building thanks to thought-out and simple design. You may use ToDo in service rooms and offices, but also in private residences or flats.

It is aesthetic and minimalistic. Premium quality materials ensure high resistance to UV radiation and mechanical damages.

A double equipment consisting of an integrated single-pole switch and a Schuko standard socket (2P+E). It is a convenient solution for small areas. Intended for indoor use (IP20). The product is equipped with side grounding plates that increase protection against electric shock. The product is designed for single-phase installations, with a rated voltage of 250V, 50Hz and a current of 16A.

It is surface mounted with the help of screws or double-sided tape. Screw terminals and safety shutters ensure durable and safe connection. The whole has been finished with a glossy white surface.

Dimensions: 128x66x43 mm.

Pack contains 10 pieces.

The product is also available in black, in French standard, and for sale as individual pieces.

## TECHNICAL DATA

### General information:

<b>Model:</b>	Łącznik świecznikowy + Gniazdo ze stykiem ochronnym
<b>Protective contact:</b>	Okrągły
<b>Number of units:</b>	2
<b>Number of phases:</b>	1
<b>Connection type:</b>	Zacisk śrubowy
<b>Safety shutters:</b>	Tak
<b>Label space/information surface:</b>	Nie
<b>Colour:</b>	Biały
<b>Mounting method:</b>	Montaż natynkowy
<b>Type of fastening:</b>	Montaż śrubowy
<b>Material:</b>	Tworzywo sztuczne
<b>Material quality:</b>	Tworzywo termoplastyczne
<b>Surface protection:</b>	Stan surowy
<b>Surface finishing:</b>	Błyszczący
<b>Nominal current [A]:</b>	16
<b>Nominal voltage [V]:</b>	250

Frequency [Hz]:	50
Suitable for degree of protection (IP):	IP20
Device width [mm]:	128
Device height [mm]:	66
Device depth [mm]:	43