

## 3-gang wall socket ToDo, 2P+E, Schuko type, IP20, 16A, 230V AC, black, 10 pieces

ORNO

Marka: Orno | Symbol: OR-OE-7209(GS)/B/10 | Ean: 5908254844225



### PRODUCT DESCRIPTION

ToDo series combines simple solutions suitable for domestic and professional use. It is a basic electrical equipment series applied in every building thanks to thought-out and simple design. You may use ToDo in service rooms and offices, but also in private residences or flats.

It is aesthetic and minimalistic. Premium quality materials ensure high resistance to UV radiation and mechanical damages.

ToDo Schuko type 3-gang wall socket (3x2P+E) is convenient even during self-assembly and is easy to clean. Additionally, it has many entries to run cables easily from any direction: from the top, bottom and even from the behind. Simply broke the cable opening with the help of special perforations.

IP20 ingress protection rate ensures save and long-lasting usage.

The electrical socket is surface mounted and suitable wherever a convenient and save power source is needed.

Black colour. The set of 10. The series includes also single, double and 4-gang sockets as well as switches. Available also in white and out of the set.

## TECHNICAL DATA

### General information:

|                                   |                               |
|-----------------------------------|-------------------------------|
| Nominal current [A]:              | 16                            |
| Frequency [Hz]:                   | 50                            |
| Width of device [mm]:             | 64                            |
| Height of device [mm]:            | 153                           |
| Depth of device [mm]:             | 39                            |
| Nominal voltage [V]:              | 230                           |
| Mounting method:                  | Montaż natynkowy              |
| Colour:                           | Czarny                        |
| Model:                            | Ze stykiem ochronnym (SCHUKO) |
| Number of units:                  | 3                             |
| Connection type:                  | Zacisk śrubowy                |
| Surface protection:               | Stan surowy                   |
| With signal lamp:                 | nie                           |
| Number of phases:                 | 1                             |
| With enhanced contact protection: | tak                           |
| With on/off switch:               | nie                           |
| Protective contact:               | tak                           |

|  |                          |
|--|--------------------------|
| <b>Label space/information surface:</b>        | nie                      |
| <b>Material quality:</b>                       | Tworzywo termoplastyczne |
| <b>Material:</b>                               | Tworzywo sztuczne        |
| <b>Type of fastening:</b>                      | Montaż natynkowy         |
| <b>Surface finishing:</b>                      | Błyszczący               |
| <b>Suitable for degree of protection (IP):</b> | IP20                     |
| <b>Quantity:</b>                               | 10                       |



