

## AQUATIC PRO IP 55 Single socket 2P+E, grey/graphite, 10 pcs

Marka: Orno | Symbol: OR-OE-7405/GR/10 | Ean: 5908254830846



### PRODUCT DESCRIPTION

The Aquatic Pro, is a series designed for the most demanding users, characterised by a robust, sealed construction, a simple, universal design and a protection level for dust and spill resistance - IP55.

Internally, the Aquatic is fitted with rubber sealing elements, externally it is composed of solidly fitted components made of quality flexible plastic, which is resistant to impact and fading.

A single French-type, surface-mounted 2P+E socket will ensure safe access to the power supply - even if the room is not fully refurbished - the high level of dust and moisture resistance, guaranteed by IP55, will allow you to use the equipment without worry.

The Aquatic Pro is also an aesthetically pleasing design that blends in with commercial interiors or industrial spaces. The series includes single-pole switches, two-button switches, single and double sockets, socket sets, doorbell buttons with and without illumination, and shutter switches.

The wide selection of components makes it easy to complete uniform equipment even for large installations.

The series is in a grey-graphite colour scheme. Package of 10 pcs.

## TECHNICAL DATA

### General information:

Nominal current [A]:	16
Frequency [Hz]:	50
Width of device [mm]:	65
Height of device [mm]:	75
Depth of device [mm]:	55
Nominal voltage [V]:	230
Mounting method:	Montaż natynkowy
Colour:	Szary
Model:	Ze stykiem ochronnym (bolec)
Number of units:	1
With hinged lid:	tak
Connection type:	Wtykowe samozaciskowe
Surface protection:	Stan surowy
With signal lamp:	nie
Number of phases:	1
With enhanced contact protection:	tak
With on/off switch:	nie

<b>Protective contact:</b>	tak
<b>Label space/information surface:</b>	nie
<b>Material quality:</b>	Tworzywo termoplastyczne
<b>Insulated mounting:</b>	tak
<b>Material:</b>	Tworzywo sztuczne
<b>Type of fastening:</b>	Montaż natynkowy
<b>Surface finishing:</b>	Matowy
<b>Suitable for degree of protection [IP]:</b>	IP55
<b>Quantity:</b>	10