

Flush-mounted single socket 2P+E Schuko Pearl, 16A, 250V, PT-17P, anthracite

ORNO

Marka: Orno | Symbol: OR-OE-7705(GS)/A | Ean: 5904988911097



PRODUCT DESCRIPTION

Modular series with a symmetrical frame plate system (for 1-, 2-, 3-, 4-, 5-modules) allowing the product to be mounted in both horizontal and vertical positions. The modern quick-connect mechanism (wires are connected by pushing them directly into the body) provides secure and safe wire installation and removal. The sockets are equipped with traditional screw connections. The internal design of the terminals guarantees secure connection of wires from 0.75 mm² to 2.5 mm². Strong and robust mounting plate grid and high-quality self-retracting elements enable stable and secure installation in the box. Special springing elements facilitate

fitting the frame into the body.

Single Schuko-type socket, 2P+E. Designed for flush mounting. It should be used indoors (IP20).

The product is available in three colors: white, black and anthracite. Dimensions 81x81x40.8mm.

TECHNICAL DATA

General information:

Model:	Gniazdo wtykowe CEE 7/3 (typ F)
Protective contact:	Blaszki uziemiające
Number of units:	1
Number of modules (module system):	1
Number of phases:	1
Connection type:	Zacisk śrubowy
With enhanced contact protection:	Nie
Label space/information surface:	Nie
Colour:	Antracyt
Mounting method:	Montaż podtynkowy
Type of fastening:	Montaż pazurkowy / -śrubowy
Material:	Tworzywo sztuczne
Material quality:	Tworzywo termoplastyczne
Surface protection:	Malowanie
Surface finishing:	Matowy
Nominal current [A]:	16
Nominal voltage [V]:	250
Frequency [Hz]:	50
Suitable for degree of protection (IP):	IP20
Device width [mm]:	81
Device height [mm]:	81

Device depth [mm]:	11
Min. depth of built-in installation box [mm]:	30



