

Surface-mounted three-way switch B2, 10A, 250V, IP54, WNT-5B2, gray

Marka: Orno | Symbol: OR-OE-7802/G | Ean: 5904988911721



PRODUCT DESCRIPTION

The B2 series of sockets and switches, IP54 rated, dust and moisture resistant. The series features a timeless shape and robust housing. Perfect for installation in industrial facilities and households. The switches are equipped with quick connectors, while the sockets are equipped with traditional screw connections.

The three-way switch is adapted to surface mounting. Product is used to switch on and off the circuit to which the stair lighting is connected. This type of switches are always installed in pairs. The function of this

type of switch is to activate, for example, lighting from different locations or floors. It will be suitable wherever protection against dust and water splashes is required (IP54).

The product is available in three colors: white, gray and gray-black. Dimensions 77x66x51mm.

TECHNICAL DATA

General information:

Wiring system:	Łącznik schodowy
Method of operation:	Przycisk wahadłowy
Assembly arrangement:	Element podstawowy
Number of rockers:	1
Mounting method:	Montaż natynkowy
Type of fastening:	Mocowanie śrubowe
Material:	Tworzywo sztuczne
Material quality:	Tworzywo termoplastyczne
Surface protection:	Malowanie
Surface finishing:	Matowy/Błyszczący
Colour:	Szary
Label space/information surface:	Nie
Suitable for degree of protection (IP):	IP54
Nominal voltage [V]:	250
Frequency [Hz]:	50
Rated current [A]:	10
Connection type:	Wtyk samozaciskowy
Device width [mm]:	66
Device height [mm]:	77
Device depth [mm]:	51

