

NEFRYT LED garden lamp with PIR sensor, 15W, white

Marka: Orno | Symbol: OR-OP-6147WLPMR4 | Ean: 5908254801099

ORNO

PRODUCT DESCRIPTION

This garden lamp features durability and good quality. It can be mounted on building facades or concrete fences and thus creates a unique lighting scenery. Built-in LED SMD diodes constitute the source of light and guarantee high energy-efficiency and long service lifetime. The built-in PIR sensor activates the light only when a motion is detected and a twilight sensor (depending on the settings) activates the lamp only when the ambient light is insufficient. It has potentiometers to adjust lighting time and light intensity.

TECHNICAL DATA

General information:

| | |
|---|----------------|
| Place of application: | Inside and out |
| Possibility of cooperation with a dimmer: | No |
| Durability L70/B50: | 50000 h |
| Connection type: | Screw cube |
| The minimum distance from the illuminated object: | 0,5 m |
| Luminous flux: | 1100 lm |
| Rated power: | 15 W |
| Light source: | LED SMD |
| Degree of protection (IP): | 54 |
| Colour temperature: | 4000 |
| Beam angle: | 120 ° |
| Nominal voltage: | 230V~, 50Hz |
| Colour: | white |
| Solar panel: | No |
| Dimensions - depth: | 44.5 mm |
| Dimensions - width: | 212.2 mm |
| Dimensions - height: | 119.2 mm |
| Colour rendering index CRI: | ≥85 |
| Material housing: | PC |
| Detection angle: | 140° |
| Material of the lampshade: | PC |
| Control of the motion sensor: | Yes |
| Number of on / off cycles: | 10000 |
| Protection class against electric shock: | II |
| Type of sensor: | PIR |
| Detection range: | 9 m |

| | |
|--|---|
| Operating temperature: | - 20 ~ 40°C |
| Adjustable daylight sensor (LUX): | Yes |
| Daylight sensor adjustment range (LUX): | <3–2000lux |
| Adjustable time setting (TIME): | Yes |
| Lighting time adjustment range (TIME): | min: 10 sek. ± 3 sek.; max: 5 min. ± 1 min. |
| Adjustment of motion detection range (SENS): | No |



