

## LED lighting fixture BRYZA ECO with microwave sensor, 12W, IP66

୍ର

Marka: Orno | Symbol: OR-PL-363BLPMM4 | Ean: 5901752485013





## **PRODUCT DESCRIPTION**

Use of the LED technology guarantees high energy efficiency and long life of the ceiling light fitting The lamp integrates ideally with any interior due to its base made of resistant ABS combined with the non-breakable milk PC lampshade Its high tightness (IP66) ensures protection against dust and strong water jets, therefore it can be installed both indoors and outdoors The microwave motion detector located inside the ceiling light fitting responds to motion and the twilight sensor switches lighting on only if necessary (depending on settings).



## **TECHNICAL DATA**

## General information:

| Luminous flux:                               | 900 lm                                       |
|--|--|
| Rated power:                                 | 12 W   |
| Light source:                                | LED SMD                                      |
| Degree of protection (IP):                   | 66   |
| Colour temperature:                          | 4000   |
| Nominal voltage:                             | 230V~, 50Hz                                  |
| Colour:                                      | black  |
| Dimensions - depth:                          | 100 mm                                       |
| Dimensions - width:                          | 300 mm                                       |
| Dimensions - height:                         | 300 mm                                       |
| Colour rendering index CRI:                  | >70  |
| Detection angle:                             | 360°   |
| Material of the lampshade:                   | polycarbonate                                |
| Control of the motion sensor:                | Yes  |
| Type of sensor:                              | microwave                                    |
| Detection range:                             | 4-12m m                                      |
| Adjustable daylight sensor (LUX):            | Yes  |
| Daylight sensor adjustment range (LUX):      | 2lux, 10lux, 30lux, 50lux, OFF               |
| Adjustable time setting (TIME):              | Yes  |
| Lighting time adjustment range (TIME):       | min: 10 sek. ± 3 sek.; max: 30 min. ± 2 min. |
| Adjustment of motion detection range (SENS): | Yes  |













