







2-wire clamp splicing connector, double-sided; for any 0.75-4mm wire; IEC 250V/32A; 50 pcs.

Marka: Orno | Symbol: OR-SZ-8021/2/50 | Ean: 5908254829680

ORNO



PRODUCT DESCRIPTION

The ORNO brand offers high-quality installation accessories that are well-known to professional users associated with electrical and connecting technology. Installation connectors are solutions that combine the newest trends and technologies with the appropriate quality of materials used.

Among the products offered is a 4-terminal installation connector. It is a double-sided connector designed to connect wires from 0.75 to 4mm and to operate with a current rating of 250V/32A. Made of durable and









non-flammable plastic, with a transparent housing for easy wire placement. The housing also has a printed graduation for conveniently stripping the wire to the correct length and inserting it to the correct depth.

At the top of each double-sided connector are two opposite levers that crimp and stabilize the wires in the right places. The levers are made of resistant and somewhat flexible material so that they can withstand repeated opening.

The products are packaged of 50 pieces, and the ORNO brand also offers other variants of quick-connectors.

TECHNICAL DATA

General information:

Number of clamp positions: 4 Nominal cross section [mm]]: 0,75 - 4 With operation lever: tak Colour: Niebieski Transparent: tak Nominal voltage [V]: 250 Nominal current [A]: 32 Suitable for solid core: tak Suitable for flexible core: tak Suitable for multi-wire core: tak Packing: Pudełko		
With operation lever: Colour: Niebieski Transparent: tak Nominal voltage [V]: 250 Nominal current [A]: 32 Suitable for solid core: tak Suitable for flexible core: tak	Number of clamp positions:	4
Colour: Niebieski Transparent: tak Nominal voltage [V]: 250 Nominal current [A]: 32 Suitable for solid core: tak Suitable for flexible core: tak Suitable for multi-wire core: tak	Nominal cross section [mm]:	0,75 - 4
Transparent: tak Nominal voltage [V]: 250 Nominal current [A]: 32 Suitable for solid core: tak Suitable for flexible core: tak Suitable for multi-wire core: tak	With operation lever:	tak
Nominal voltage [V]: Nominal current [A]: Suitable for solid core: tak Suitable for flexible core: tak Suitable for multi-wire core: tak	Colour:	Niebieski
Nominal current [A]: Suitable for solid core: tak Suitable for flexible core: tak Suitable for multi-wire core: tak	Transparent:	tak
Suitable for solid core: Suitable for flexible core: tak Suitable for multi-wire core: tak	Nominal voltage [V]:	250
Suitable for flexible core: tak Suitable for multi-wire core: tak	Nominal current [A]:	32
Suitable for multi-wire core: tak	Suitable for solid core:	tak
	Suitable for flexible core:	tak
Packing: Pudełko	Suitable for multi-wire core:	tak
	Packing:	Pudełko
Quantity: 50	Quantity:	50

Page 2 / 4



























