

PACTO, video doorphone set, 4-wire, 4,3", touch panel, RFID reader



Marka: **ORNO Home** | Symbol: **OR-VID-MB-1083/B** | Ean: **5908254844973**



PRODUCT DESCRIPTION

The PACTO videodoorphone set is designed for single-family houses and provides security and control of the entrance to the property. Device is characterised by an intuitive 4-wire connection, which enables easy, fully secure and self-assembly and reduces the number of cables leading to the wicket.

The PACTO has a compact monitor with a 4.3-inch screen diagonal. It provides a clear image, but also allows intuitive navigation using touch buttons. The colour screen also offers a full picture in front of the wicket,

thanks to the wide viewing angle from the camera in the outdoor unit - 104° horizontally and 51° vertically. Controlling the wicket and gate increases convenience. The power supply of the electric strike (max. 300mA) does not require an additional connection to the wicket, which eliminates the need to run additional wires through the garden.

The dimensions of the monitor are 142x145mm. Black colour.

The outdoor unit is equipped with an IR night light function to ensure visibility after dark without blinding the visitor. High IP65 ingress protection rate and aluminium from which it is manufactured guarantee resistance to severe weather conditions and protect the device from external factors. The small dimensions (50x150mm) allow the device to be installed anywhere, even on a fence post.

With the expandable set, users may create a comprehensive system of entry control and monitoring across the property, perfect for multi-storey buildings. The intercom function, supported by additional monitors (max. 2 per set), not only enables access control but also facilitates communication within the house, e.g. between floors.

TECHNICAL DATA

General information:

Type:	jednorodzinny
With video:	tak
Current supply:	Zasilanie sieciowe
Nominal voltage [V]:	15V DC 1A
Type of transmission:	przewodowy
Can be connected to smartphone:	nie
Installation technique:	System wieloprzewodowy
Number of wires (*from outdoor station to electric strike):	4 (+2)*
Number of indoor stations:	1
Number of outdoor stations:	1
Expandable to max. number of indoor stations:	3
Expandable to max. number of outdoor stations:	1
Operation door lock:	tak

Current supply of the electric strike:	dodatkowy zasilacz niewymagany
Connection system of the electric strike:	z panelem zewnętrznym
With automatic door opener:	tak
With day/night function:	tak

Monitor:

Mounting method indoor station:	Montaż natynkowy
Hands free:	tak
Screen diagonal [inch]:	4,3"
Screen resolution:	480x272
Touch screen:	nie
Property picture system:	Kolor
With memory function:	nie
Internal communication:	tak
Number of ringtones:	16
Specific call tone:	nie
Loudness control:	tak
Mutable call tone:	nie
Material indoor station:	Tworzywo sztuczne
Colour indoor station:	Czarny
Dimensions of the monitor - Width [mm]:	137
Dimensions of the monitor - Height [mm]:	143
Dimensions of the monitor - Depth [mm]:	21

Outdoor unit:

Number of call buttons:	1
Mounting method outdoor station:	Montaż natynkowy
Camera resolution:	700 TVL
Camera view angle (vertical):	51°

Camera view angle (horizontal):	104°
Night light:	IR
With digital door code:	nie
Card and proximity tags reader:	tak
Frequency of RFID tags:	125kHz
Label space/information surface:	tak
With cover:	tak
Degree of protection (IP):	IP65
Material outdoor station:	Aluminium
Colour outdoor station:	Srebrny
Width [mm]:	58
Height [mm]:	175
Depth [mm]:	39
Other features:	RFID - max. 24 użytkowników (breloki w zestawie: 5 użytkownika + 2 administracyjne)







