

NAOS video doorphone set for 2-wires, handset-free, multicolor 4.3" LCD display, external panel with card and proximity tags reader, RFID, black



Marka: ORNO Home | Symbol: OR-VID-SH-1074 | Ean: 5908254807718



PRODUCT DESCRIPTION

NAOS handset-free video doorphone set with 2-wires has been designed for installation in single family building. The set includes LCD monitor with 4.3" touch display and external panel with a camera, card and proximity tags reader, name plate and twilight sensor. Intercom function is available after connection of an additional monitor. Other features of the set: direct control of the electric strike, gate opening, 10 ringtones to

choose from. Colour: black.

TECHNICAL DATA

General information:

Type:	jednorodzinny
With video:	tak
Current supply:	Zasilanie sieciowe
Nominal voltage:	15V DC
Type of transmission:	przewodowy
Can be connected to smartphone:	nie
Installation technique:	Dwużyłowe
Number of wires (*from outdoor station to electric strike):	2 (+2)*
Number of indoor stations:	1
Number of outdoor stations:	1
Expandable to max. number of indoor stations:	2
Expandable to max. number of outdoor stations:	1
Operation door lock:	tak
Current supply of the electric strike:	dodatkowy zasilacz niewymagany
Connection system of the electric strike:	z panelem zewnętrznym
With automatic door opener:	tak
With day/night function:	tak

Monitor:

Mounting method indoor station:	Montaż natynkowy
Hands free:	tak
Screen diagonal [inch]:	4.3"
Screen resolution:	480x272

Touch screen:	nie
Property picture system:	Kolor
With memory function:	nie
Internal communication:	tak
Number of ringtones:	10
Loudness control:	tak
Mutable call tone:	tak
Material indoor station:	Tworzywo sztuczne
Colour indoor station:	Czarny
Dimensions of the monitor - Width [mm]:	130
Dimensions of the monitor - Height [mm]:	120
Dimensions of the monitor - Depth [mm]:	24.5

External panel:

Number of call buttons:	1
Mounting method outdoor station:	Montaż natynkowy
Camera resolution:	733 x 493
Camera view angle (vertical):	33 °
Camera view angle (horizontal):	47 °
Night light:	IR
With digital door code:	nie
Card and proximity tags reader:	tak
Frequency of RFID tags:	125kHz
Label space/information surface:	tak
With cover:	tak
Degree of protection (IP):	IP44
Material outdoor station:	Tworzywo sztuczne
Colour outdoor station:	Srebrny
Width [mm]:	93

Height [mm]:	150
Depth [mm]:	45
Other features:	RFID - max. 10 użytkowników (breloki w zestawie: 4 użytkownika + 2 administracyjne)







