

Single family videodoorphone DICO 7"

Marka: Orno | Symbol: OR-VID-VP-1055/W | Ean: 5900378650584

ORNO


PRODUCT DESCRIPTION

It is a modern videodoorphone equipped with an ultra slim LCD monitor with smooth adjustment of parameters (brightness, color contrast, volume tone & conversation), 16 selectable ringtones, a touch panel with backlit buttons. External panel with camera requires surface mounting. It's equipped with infrared lighting that enables night vision, backlit place for name. Numeric keypad (which is illuminated at a low light intensity) enables setting the time of the lock opening and change of the opening code. Intercom function is available after using an additional monitor. DC power supply from the power supply to the 15V DC socket or, optionally,

from the power supply to the OR-VID-VP-1009ZD DIN rail. 12V electric strike with power consumption of no more than 300mA does not require additional power supply.

TECHNICAL DATA

General information:

Type:	single-family
Number of wires:	5+2
Type of power supply:	mains power supply
Type of transmission:	wired
Possibility of extension by an additional external panel:	Yes
Possibility of extension by an additional monitor:	Yes
Possibility of extension by an additional video uniphone:	No
Gate opening:	No
Current supply of the electric strike:	power supply from a videodoorphone
Connection system:	5-wire
Possibility of extension by an additional cctv camera:	No

Monitor:

SD card reader:	No
Number of ringtones:	16
Operation:	via speakerphone
Display:	7 "
Resolution of the monitor's screen:	800/480
Colour of the monitor:	white
Memory:	No
Intercom function:	Yes
Touch screen:	No

Dimensions of the of the monitor - width (mm):	216 mm
Dimensions of the of the monitor - height (mm):	129.7 mm
Dimensions of the of the monitor - depth (mm):	23 mm

External panel with a camera:

Resolution of the camera:	600 TVL
Card and proximity tags reader:	No
Type of camera:	traditional lens
Installation:	surface mounting
Keypad:	Yes
Night lighting:	Infrared
Dimensions of the external panel - depth:	24 mm
Dimensions of the external panel - width:	63 mm
Dimensions of the external panel - height:	150 mm







